

Total Pages 650

February 16, 1998

INTEC

sandia national laboratories

DEPARTMENT OF ENERGY DECLASSIFICATION REVIEW

1GT GEVIE V DATE: 1-8-10

ALTHORITY: LIAOC LIADC LIADO
LIAME: DICK CRAWIT

CHAREVIEW-DATE: 1-26-49

ALTHORITY: ADD
NAME: THE FORM OF THE PROPERTY OF THE PROPERT

### Survey of Weapon Development and Technology (WR708) (U)

Restricted Data

This document contains Aestricted Data as defined in the Atomic Energy Act of 954. Unauthorized disclosure subject to Administrative and Criminal Sanctions.

Classified By John C. Hogan

Title/Org: Manager, DP Knowledge Integration & Ed, 5507, 8/22/

Derived From: CG 501/84

TCG-J. 1, 04/86

TCC-BTS-1,10/84

G-SAFF-1 886

rcg-uc-2, 10/93

CHIEF AL WEAPON DESIGN INFORMATION

- DOD DIRECTIVE 5210.2

NUCLEAR WEAPON DATA

SIGNA 1 &

UNCLASSIFIED

DEPARTMENT OF ENERGY BECLASSISTED OF REVIEW

1SI REVIEW DE CLASSISTED FORCE NUMBER(S))

AUTHORISMO DE CLASSISTED FORCE NUMBER(S))

AUTHORISMO DE CLASSISTED FORCE OF ACCEPTANCE OF ACCEP

Corporate Training & Development

SECRET



# SEGRET.

## SURVEY OF WEAPONS DEVELOPMENT AND TECHNOLOGY

#### **WR708**

#### **SESSION I**

•COURSE OVERVIEW
•WEAPON COMPLEX & DEVELOPMENT PROCESS

## SURVEY OF WEAPONS DEVELOPMENT AND TECHNOLOGY WR708

<u>Day</u>	<u>Time</u>	Session	<u>Title</u>	<u>Instructor</u>
<del></del>		4	Course Overview - Introduction	Hogan
Monday	8:00 - 12:00	1 2	Physics - Explosion Theory	Hogan
	4.00 4.00	2	Physics - Explosion Theory (cont)	Hogan
	1:00 - 4:00	3	Nuclear Effects	Hogan
	8:00 - 12:00	4	High Explosives - Detonators	Hogan
Tuesday	8:00 - 12.00	5	Fission	Hogan
		_	Fining (pont)	Hogan
	1:00 - 4:00	5	Fission (cont)	Hogan
		6	Thermonuclear	riogari
	0.00 10.00	6	Thermonuclear (cont)	Hogan
Wednesday	8:00 - 12:00	7	Safety	Layne
		-	•	1
	1:00 - 3:00	7	Safety (cont)	Layne
		8	Use Control - Access Control	Layne
	3:00 - 4:00	9	Weapons Systems	Rogulich
	8:00 - 9:00	10	Dismantlement	Hogan
Thursday	9:00 - 9:00	11	Arming, Firing and Initiation	Curtis
	11:00 - 12:00	12	Nuclear Testing	Hogan
	11:00 - 12:00	12		
	1:00 - 4:00	13	Transfer Systems	Robinson
	1.00 - 4.00	14	Fuzing	Hartwig
		15	Arms Control	Layne
		15	Arms Controls (cont)	Layne
Friday	8:00 - 9:00	16	Non-Proliferation/Counter Proliferation	Taylor
	9:00 - 10:00		Stockpile Matters	Layne
	10:00 - 11:00	17	Summary Hogan	,
	11:00 - 11:15		Julillary Hogan	
	12:00 - 3:30	18	Nuclear Weapons Musuem Tour	Hogan

# INOLESON

## WR708 - Course Objectives What We hope you learn

- The nuclear physics principles
- •Nuclear weapons engineering implementation
- •Depth and breath of the nuclear weapons program
- Principles of nuclear surety
- •Surety as implemented in the enduring stockpile weapons
- Operation of the enduring stockpile weapons
- •Similarities/differences of the weapons
- •The evolution of nuclear stockpile over the last 50 years
- •The principle drivers of the nuclear stockpile over the last 50 years
- •Nuclear weapons subsystem components and their evolution

#### **Course Themes**

- Stockpile surety
- Stewardship
- Historical teaching approach
- Extensive use of hardware
- Survey of almost all aspects of nuclear weapons



b (3)

DOE

P(3)

UNOLASSIFIED

TYOLASSET!

#### **OVERVIEW (Continued)**

- There have been weapon system, aircraft and missile trades which have over the last 50 years driven the nuclear weapons community to design smaller, lighter, yet higher-yield weapons.
- A systems engineering approach is required when viewing nuclear weapons.
- Arms control is a major driver for weapons reduction.
- History and early weapon development is extremely important to the understanding of third world proliferation.



#### **Nuclear Weapons Development Drivers**

- Nuclear surety
- Service Requirements/weapon system interfaces
  - less manpower intensive
  - less weight and volume
- National security strategy/policy
  - United States
  - CINC's
  - NATO
- Arms control
  - limit technology
  - limit growth
  - eliminate categories
  - reduce numbers


#### **National Security Strategy: Deterrence**

Decade	Implementation
1950	Massive Retaliation
1960	Flexible Response
1970	Flexible Response
1980	Flexible Response
1990	Last Resort

## SIGNIFICANT HISTORICAL EVENTS RELATIVE TO NUCLEAR WEAPONS

YEAR	1940	1945		1950		195	55			1960	
PRESIDENT	F.D. Roosevelt		Truman			E	Eisenho	ower	,	Ken	nedy
USSR LEADERS		Stalin		•		Malenkov	Bulg	anin		Khrusho	hev
SIGNIFICANT HISTORICAL	World War II		French	n-Indoc	hina W	/ar	Cub	an Civi	il War	:	
EVENTS	Pearl Harbo		stinian W	ar Ko	rean V	√ar # S	Suez C	risis	+		an Launch
WARS	<ul><li>Guadalca</li><li>Invasio</li></ul>	nai n of Sicily	+ Berlin	Airlift			<b>♥</b> So	viets In	vade F		Shot Dowr
<ul><li>Battles</li><li>Conflicts</li><li>Crisis</li></ul>		acArthur Retu D-Day			s Explo	de A-Bomb				st ICBM Launch	+ Berlin  + Cubai  + Cubai
+ Happenings	•	Battle of the	e Bulge		8	British Expl	ode A-	Bomb			Bay of
ప్ర Nuclear Related		<ul><li>Iwo Jima</li><li>Hiroshim</li></ul>	a and Na	gasaki		© United Sta  © Soviets  L				_	Pigs ch Explode
WEAPONS RELATED ADVANCES	Jet Aircraft (centrifugal-flow turbo Retarded Bomb Target Marki Radar Bon	s ng Munitions	ound Barı Fransiston E	ier Brol s	ken ental Ra	amjet Aircrat	ft		Satellit	Integra Laser	nunications ted Circuit odern Cryc
	Radio Pro	oximity Fuze se Missile	·	•		to-Air Rocke Maser	ts				
	Rad	Reactor lio Controlled dened Target				Rad	dar Gu ertial N	werplan ided Air lavigatio	-to-Air on		
	A P	Pallistic Mis kial-Flow Turk ulse Jet Miss	oojets ile (V-1 "E	Buzz Bo	mb")			R-Guide Radio Missil	d Air-to Contro e		-to-Ground
		Aircraft Rocke Radar Contro		Bomb	<b>!</b>	4		T		n Engin	

## SIGNIFICANT HISTORICAL EVENTS RELATIVE TO NUCLEAR WEAPONS



## Strategy, Arms Control, and Weapon Systems Technology Drive Stockpile Requirements


Strategy	Threat	Tech.	Size/Wt.	Yield	Arms Control	Number
1950 Massive retaliation	Global	A/C & missiles inaccurate	Large	Very high	Very limited talks	Growing
1960 Flexible response	Global Theater	A/C & missiles improve	Decrease	Decrease	Limited talks	Growing
1970 Flexible response	Global Theater	A/C & missiles improve accuracy	Decrease even more	Tactical needed lower yields	SALT ABM limitations	Decline
1980 Flexible response	Global Theater	A/C & missiles very accurate	Large decrease	Continued decrease	Mutual elimination & reduce	Decline more
1990 Last resort	Theater Global	A/C & missiles very accurate	Remain small	Remain same	Large cuts mutual elimination/ unilateral	Large reduction

# ONOLASSIA I

# SELECTED HARDWARE ORIENTATION


#### **Fission Primaries**

#### IMPLOSION



Critical Mass Achieved with Compression from HE


#### **GUN TYPE**




Critical Mass Achieved with "Lots of Special Nuclear Material"

**Fission Primary** 






**Detonators Required to** Fire the HE




Large

# SECRET.

#### **Basic Electronics Needed to Fire the Detonations**




FIRE SET
Evolved from Large to Compact




POWER SOURCES
Originally Lead Acid (car battery style)
Evolved to Thermal Batteries

## Additional Elements Required for Detonation





**Neutron Source** 



**Fuzes** 


- Height of Burst
- Impact

# \* SEONE!

UNCLASSIFIED

#### **Basic Elements of a Nuclear Weapon**





# TNCI ASSIBIL

#### **GAS BOOSTING**

- INITIAL FISSION RAISES BOOST GAS TO FUSION TEMPERATURES

- D.T REACTIONS RELEASE A FLOOD OF HIGH ENERGY NEUTRONS FOR FISSIONING OF Oy AND/OR Pu



DOF

CNOLASSIFIED 21

REENTRY BODY

8985000.58

# UNCLASSIBLE


SNL

DOD

LANL/LLNL

#### **TERMINOLOGY**

NUCLEAR PACKAGE PHYSICS PACKAGE	PRIMARY/SECONDARY (Includes High Explosive)
NUCLEAR WARHEAD	NUCLEAR PACKAGE & WEAPON ELECTRICAL SYSTEM & PLUMBING
NUCLEAR WEAPON	NUCLEAR WARHEAD & ARMING & FUZING & AERODYNAMIC CASE, ALSO REENTRY VEHICLE
NUCLEAR WEAPON SYSTEM	NUCLEAR WEAPON & DoD



- THE ARMY USED THE TERM NUCLEAR WARHEAD SECTION TO INCLUDE WARHEAD + AK + BALLISTIC BASE

## 950PF

#### **WEAPON PROGRAM OBLIGATIONS**

#### **STOCKPILE MANAGEMENT:**

MAINTENANCE OF THE NATIONAL STOCKPILE OF NUCLEAR WEAPONS IN A SAFE, SECURE, RELIABLE, READY CONDITION

#### **WEAPONIZATION:**

DEVELOP AND PRODUCE NUCLEAR WEAPONS FOR STOCKPILE AS JOINTLY AGREED TO BY DOD & DOE AND AS AUTHORIZED BY THE PRESIDENT

#### **WEAPON TECHNOLOGY:**


PURSUE TECHNOLOGY IN THE SCIENCE & ENGINEERING OF NUCLEAR WEAPONS SO THAT OUR UNDERSTANDING & ABILITY TO DEVELOP IS SECOND TO NONE

## As the nuclear weapons systems integrator for the DOE, Sandia has responsibility for:

- •Fire set development--neutron generator, batteries, capacitors, etc.
- •Electrical & mechanical interface compatibility
- Electrical detonation safety
- •Use control & use control equipment
- •Handling and aneillary equipment
- Stockpile surveillance (reliability)--testing & evaluation
- •Military training & manuals
- •Field support
- Weapon systems (including DoD hardware) independent evaluations
- •DOE & DoD security facility upgrade
- •Safe secure trailers (total life cycle) & DÓE courier training
- •Neutron generator production

# SEGRET

## SANDIA-DOE/DOD INTERFACES WEAPON PROGRAM



# 3E87

# Rocky Flats Golden, Colorado -Historical Context-

Contractor:

EG&G

**Principal Missions:** 

Fabrication of beryllium, plutonium on uranium alloy; Plutonium recovery and

GNOLASS

research;

**Fabrication of pressure** 

vessels

## **Kansas City Plant Kansas City, Missouri**

**Contractor:** 

**Allied-Signal** 

**Principal Missions:** 

Fabrication and assembly of electrical, electronic, electro-mechanical, precision mechanical, rubber and plastic components;

JNOLASSIFIEL

Heavy machining

# GEORET

### Y-12 Plant Oak Ridge, Tennessee

**Contractor:** 

**Martin Marietta** 

**Principal Missions:** 

Fabrication of test and stockpile secondary assemblies;

Fabrication and research in uranium;
Machining

UNCLASSIFIEI

INCLASSITED

# SEGNET

### Pinellas Plant St. Petersburg, Florida

Contractor:

**Martin Marietta speciality** 

components, inc.

**Principal Missions:** 

Neutron generators, thermal batteries, Radioisotopic Thermoelectric Generator

(RTGs), lightning arrestor

connectors, capacitors,

neutron detectors

## SEURE

## Savannah River Plant Aiken, South Carolina

**Contractor:** 

Westinghouse

**Principal Missions:** 

Production of tritium and

plutonium;

Fill reservoirs with tritium

CNOLAGGIAIA

# SEGNET.

### Pantex Plant Amarillo, Texas

**Contractor:** 

Mason and Hanger

**Principal Missions:** 

**Fabricate high explosive** 

system;

Final assembly, disassembly

and retirement of weapons

# SEGNET

#### **Historical Pressure on Nuclear Designs**

	PEACETIME EMPHASIS	WARTIME EMPHASIS
	SAFETY	SURVIVABILITY
		DELIVERABILITY
IMPROVE	SECURITY	EFFECTIVENESS
		FLEXIBILITY
	CONTROL	BATTLE MANAGEMENT
	MAINTENANCE	REACTION TIME
REDUCE	MOVEMENT	OPERATIONAL CONSTRAINTS
: :	TRAINING	COLLATERAL DAMAGE

CNC ACCIONATION OF THE PROPERTY OF THE PROPERT

### PHASE 1 CONCEPT FORMULATION

(01)

#### Phase 1 - Weapon Conception

#### DOE


Continuing studies by DOE agencies. Studies may be informal and independent from DoD or may be conducted jointly with DoD. May result in the focusing of sufficient DoD interest in a modification of a present weapon or in the development of a new type weapon to warrant formal study.

#### DoD

Continuing studies by DoD agencies. May be independent of the DOE or may be conducted jointly with DOE. Sufficient attention may become focused on an item to warrant a formal program study. DoD requests DOE to make a program study on a new idea for a weapon or component or may initiate its own study.

ONCI ADDITION

#### **PHASE 2 FEASIBILITY**




## TICLASSI

#### Phase 2A VALIDATION

(**Q**2A)

• SELECT
BASELINE
DESIGN & LAB



SEORE

UNCLASSIFIED

## SEORET


#### Phase 2A - Design Definition and Cost Studies

A DOE design team will normally be selected and a Project Officer Group will be formed. The POG will conduct trade-off studies to identify baseline design(s) which best balances resources and requirements. Review and revise draft MCs and STs. Establish tentative development and production schedule and division of responsibilities. A Weapon Design and Cost Report will be prepared.

UNCLASSIBIE

### SEORET

### Phase 3 ENGINEERING DEVELOPMENT (Φ3)



#### Phase 3 - <u>Development Engineering</u>

#### DOE

Launches a development program based on required military characteristics. Produces prototypes for DOE and DoD evaluation.


Provides development specifications to DoD as they become available.

Determines the developmental design release date and submits a final report on the development design to the DoD.

#### DoD

Maintains liaison with DOE field agencies and conducts independent evaluation of prototypes as considered necessary.

Studies the development specifications of the weapon design and gives appropriate guidance to the DOÉ.



#### Phase 4 - Production Engineering

#### DOE

Proceeds with production engineering of weapon, tooling, and layout of manufacturing facilities, without waiting for formal comments of DoD on the developmental design. Such guidance is integrated when received. Further prototype evaluation is performed during this phase.

Prepares product specifications for production release and furnishes these specifications to the DoD for review.

#### DoD

Reviews product specification.

Maintains liaison with appropriate DOE agencies on product design changes and specifications and gives appropriate guidance to DOE.

Continues evaluation of prototypes as considered necessary.

#### Phase 5 - First Production

#### DOE

Initiates manufacture of weapons according to product specifications by production tools, without waiting for DoD's comments on product specifications. DOE performs own evaluation and on basis of preliminary evaluation releases weapons to DoD for testing, training, and other purposes. Makes final evaluation and approves weapon model as suitable for standardization.

#### DoD

Completes operational suitability tests and makes independent evaluation of production type weapons. If weapon as designed, produced, and approved by DOE is satisfactory, approves the weapon as standard.

## INCLASSE T

#### Phase 6 - Quantity Production and Stockpile

#### DOE

Brings various production facilities up to full production pursuant to DoD requirements. Maintains production, inspection and quality control programs to ensure that each article produced meets specifications.

Maintains quality assurance and functional surveillance programs to ensure the continued quality of weapons in stockpile, in accordance with current agreements with respect to stockpile operations. These programs and the data obtained thereof will be made available to the DoD.


#### DoD

Maintains liaison with DOE agencies at production facilities. Continues appraisal of weapon performance.

Maintains liaison with DOE to review performance and technical advances in anticipation of modernization changes.

Reviews DOEs quality assurance and functional surveillance programs and results and submits appropriate comments and recommendations to the DOE. Maintains functional surveillance program in accordance with current agreements with respect to stockpile operations.

### Phase 6 STOCKPILE SURVEILLANCE (Φ6)



### **GEGRET**


UNCLASSIFIE

#### **Nuclear Weapon Life Cycle**

(The following pages are for reference. Not all of the material will be presented during the briefing)

UNCLASSIFIED

#### **WEAPON DEVELOPMENT**



#### **Phase 1 -- Concept Definition**

Initiation:

Informal agreement between participants to

undertake study

Purpose:

Study a Service requirement or DOE technological

breakthrough/innovation for weapon application

Organization: Joint DoD/DOE Study Group with appropriate

working groups. (Note: it can be a DOE or

DoD-only study group.) Working Groups: Surety,

Requirements Analysis, Mission Analysis,

Warhead

Design, and Systems Engineering

Deliverables: Phase 1 Study Report [In some cases: Draft

Military Characteristics (MCs) & Draft Stockpile-to-Target Sequence (STS)]

#### **Phase 1 Activities**

# UNCLASSIFIED

#### **Military Characteristics**

Warhead performance requirements

Warhead physical characteristics

Requirements for nuclear safety

## SNOLAWS HI

#### **Phase 1 Activities**

#### Stockpile-to-Target Sequence

Logistical employment concepts

Operational employment concepts

Normal & abnormal environments applicable to MC safety requirements

131639

### SECRET

# UNCLASSIFIE

#### **Phase 1 -- Concept Definition**

Initiation:

Informal agreement between participants to undertake

study

**Purpose:** 

Study a service requirement or DOE technological

breakthrough/innovation for weapon application.

Organization:

Joint DoD/DOE Study Group with appropriate working

groups. (Note: it can be a DOE or DoD-only study group.)

Working Groups: surety, requirements analysis, mission

analysis, warhead design, and systems engineering

**Deliverables:** 

Phase 1 study report [In some cases: Draft Military

Characteristics (MCs) & Draft Stockpile-to-Target

Sequence (STS)]

**Duration & Cost: Normally 1 year and low cost** 

UNCLASSE

# UNCLASSIFIE

#### Phase 2 -- Weapon Feasibility

Initiation:

Formal request from DoD [ATSD (AE)] to DOE to participate with

DoD in study.

Purpose:

Develop various weapon alternatives to fulfill service

requirements.

**Organization:** 

Joint DoD/DOE Study Group with appropriate working groups.

[Sometimes a Project Office Group, (POG) is formed.] Working

Groups: Surety, requirements analysis, mission analysis,

warhead design, and systems engineering.

Deliverables:

**Duration & Cost:** 

Phase 2 study report with warhead alternatives

**Draft Military Characteristics (MCs)** 

**Draft Stockpile-to-Target Sequence (STS)** 

**Nuclear Safety & Use Control Themes** 

Major Impact Report (MIR)

Decision Cost Estimates

Normally 2 years and low cost.

Parallel DoD Activities: Milestone 1 Concept Demonstration Approval precedes Phase 2.

事工

#### Phase 2A -- Design Definition & Cost

Initiation:

Normal included as part of Phase 2 authorization. If

not, then formal ATSD (AE) request to DOE is required

Purpose:

Develop a definitive cost estimate of the selected

warhead design

Organization:

Formal Project Officers Group with appropriate

subgroups. Subgroups: Safety & Surety, Maintenance

& Logistics, Command & Control, Military

Characteristics, Interface, and Stockpile-to-Target

Sequence, among many

**Deliverables:** 

**Phase 2A Study Report** 

Final Military Characteristics (MCs)

Final Stockpile-to-Target Sequence (STS).

**DoD/DOE Memorandum of Understanding** 

**Duration & Cost:** 

Normally 6 months and low cost

UNCLASSIFIED

## SEGRET

#### **Phase 3 -- Development Engineering**

Initiation:

ATSD (AE) formally passes MCs, STS, and MOU to DOE/DP

requesting their acceptance and requesting DOE participation in

**Phase 3 activities** 

Purpose:

Develop a finalized and tested weapon design that meets MC and

STS criteria, and that can be produced by the DOE production

complex

Organization:

Formal Project Officers Group with appropriate subgroups.

Subgroups: Safety & Surety, Maintenance & Logistics,

Command & Control, Military Characteristics, Interface, and

Stockpile-to-Target Sequence, among many

**Deliverables:** 

**Phase 3 Study Report** 

Final tested weapon design to include all required H & T gear.

**Duration & Cost:** 

Normally 2.5 - 3 years and high cost

**Other Activities:** 

DRAAG begins its activities, reviews PWDR. JNWPS manual

begun

#### Phase 4 -- Production Engineering

Purpose:

**DOE** production complex

determines how it will produce the warhead. DOE production complex

tools up necessary production lines

**Duration & Cost:** 

Normally 2.5 years and high cost

Other Activities:

All weapons manual produced

First generation training of military

initiated

DRAAG continues its activities,

reviews IWDR

UNCLASSIFIE

## TICE V VOLUM

#### **Phase 4 Activities**

#### **DOE Production Complex**

Allied Signal, Kansas City Division

**Location: Kansas City Missouri** 

**DOE Contractor:** Allied Signal Corporation

**Product:** 

Non-nuclear electrical, electronic, electromechanical, mechanical, plastic, and nonfissionable metal components

Pinellas - Neutron detectors, LACs, among others

Rocky Flats - Reservoirs and SST construction

Mound - Flat & round cables and ACORNS

#### **Phase 4 Activities**

DOE

SECRE

UNCLASSIBIL

b (3)

## UNCLASSIT

#### **Phase 4 Activities**

#### **DOE Production Complex**

Savannah River Plant

Location: Aiken, South Carolina

**DOE Contractor: Westinghouse Corporation** 

**Product:** 

Tritium, special isotopes, targets, and naval reactor fuel material

Fill boost reservoirs and ship them to the military

Mound - Gas transfer systems

#### **Phase 4 Activities**

#### **DOE Production Complex**

**Sandia National Laboratories** 

**Location: Albuquerque, New Mexico** 

**DOE Contractor:** Lockheed-Martin Corporation

**Product:** 

Pinellas - Thermal batteries, neutron generators, CAP assemblies, capacitors, and frequency devices/clocks



## THISS VICTOR

#### **Phase 4 Activities**

#### **DOE Production Complex**

**Los Alamos National Laboratory** 

**Location: Los Alamos, New Mexico** 

**DOE Contractor: University of California** 

**Product:** 

Pinellas - Neutron tube target loading

Rocky Flats - Beryllium technology and pit

support functions

Mound - High power detonators and

calorimeters

#### **Phase 4 Activities**

#### **DOE Production Complex**

**Pantex Plant** 

**Location: Amarillo, Texas** 

**DOE Contractor:** Mason & Hanger

**Product:** 

Explosive components
Assemble all nuclear weapons
Disassemble all weapons



### SEGNET

UNCLASSIFIED

#### Phase 4 -- Production Engineering

Purpose:

**DOE Production Complex** 

determines how it will produce the warhead. DOE Production Complex

tools up necessary production lines

**Duration & Cost:** 

Normally 2.5 years and high cost

Other Activities:

All weapons manuals produced

First generation training of military

initiated

DRAAG continues its activities,

reviews IWDR

UNCLASSIFIE

#### **Phase 5 -- First Production**

Purpose:

Produce initial products for new material evaluation testing. Refine production lines as a result of new material testing. Increase production rate to that required in Phase 6

**Duration & Cost:** 

Normally 6 months and low cost

**Other Activities:** 

DRAAG completes its activities. Nuclear certification of receiving service units

#### **Nuclear Weapons Safety Study Group (NWSSG)**

#### **Chaired by Representative Service**

Membership includes DOE, Defense Nuclear Agency, and representatives from Service Operational and Developmental Commands

#### **Performs Safety Studies**

Initial Safety Study - as early as possible in weapon development

Pre-operational Safety Study - at least 120 days before IOC Operational Safety Review - within 2 yrs of fielding and every 5 yrs thereafter

Special Safety Study - whenever system changes or problems require it

UNCLASSIFIEL

#### Phase 6 -- Quantity Production & Stockpile

Purpose:

Produce War Reserve (WR) warheads in

quantities directed by the Nuclear

Weapons Stockpile Memorandum (NWSM)

to support military IOC

Other Activities:

**Operational activities** 

Logistics activities

Nuclear accident/incident activities

Technical inspections of nuclear-certified

units

Stockpile quality assurance and

reliability testing

Weapon modifications and retrofits

**Inactive stockpile** 

NCLASSIFIED

# UNCLASSIFIE

#### **Phase 6 Activities**

#### **Nuclear Weapon Operations**

Nuclear weapon stockpile demonstrable element of nuclear deterrent strategy

Ability to employ effectively Surety

#### **Deployment**

**Peacetime threat** 

Peacetime storage

**Wartime threat** 

**Wartime storage** 

#### **Employment**

Rigorously controlled process

Presidential release to a unified commander

Conveyance of presidential release to executing commander

**Execution of nuclear mission by delivery units** 

### SECRE

#### **Phase 6 Activities**

**Nuclear Weapon Operations (cont.)** 

**Command and Control** 

Provides critical link and positive control by the President

**Designated communications systems** 

Specific authentication procedures and codes

**Training** 

**Ensure maximum unit and force readiness** 

**Exercises are still conducted** 

Personnel Reliability and Assurance Program

Ensures highest possible standards of individual

realiability

DoD (PRP)

DOE (PAP)

67

UNCLASSIFIEL

## OCONCI

#### **Phase 6 Activities**

#### **Logistics Activities**

#### **Transportation**

**Logistic movements (DOE and DoD)** 

**Operational movements (DoD)** 

Safety and Security are important considerations

#### **Storage**

CHILISSY ON OF THE

DOE

DoD

**Security Areas** 

#### **Maintenance**

Normally accomplished by the custodial service

Accomplished at weapon storage area maintenance facilities or in maintenance trucks (USAFE)

LLCE--boost reservoirs, neutron generators, RTGs

# UNCLASSIFIED

#### **Phase 6 Activities**

#### **Accident/Incident Activities**

**Nuclear Weapon Accident--unexpected event involving:** 

Accidental or unauthorized launching, firing, or use by US forces or U.S. supported allied forces of a nuclear capable system

An accidental, unauthorized, or unexplained nuclear detonation

Non-nuclear detonation or burning of a nuclear weapon or nuclear component

Radioactive contamination

Jettisoning of a nuclear weapon or nuclear component

Public hazard, actual or perceived

Nuclear Weapon Significant Incident--unexpected event involving:

Evident damage to a nuclear weapon

Immediate action for safety or security

Adverse public reaction

A situation that could lead to a nuclear weapon accident

**Accident/Incident Response Preparation** 

DoD (EOD) and DOE (ARG) personnel continuously trained

**EOD** manual and ARG procedures kept updated

Joint DoD/DOE Accident/Incident training exercises held

SEENET UNCLASSIFIED

## THOIL A COLD!

#### **Phase 6 Activities**

#### **Technical Inspections**

Performed by Service or Field Command, Defense Nuclear Agency teams

Conducted at least annually

Used to recertify nuclear capable units

Emphasis on safety as well as operational requirements

#### **Phase 6 Activities**

Stockpile Quality Assurance and Reliability Testing

Begun after the system has been in the field for a year

Consists of two types of testing:

**Stockpile Laboratory Testing (SLT)** 

**Stockpile Flight Testing (SFT)** 

Used to include Stockpile Confidence Testing (SCT), but the UGT Moratorium has effectively canceled them

Each year test units chosen at random from the active stockpile

Test units disassembled at Pantex Plant

Non-nuclear components tested via SLT and SFT

One nuclear physics package testing non-nuclearly at physics lab

All but one test unit rebuilt and returned to the field

Each Service tests non-DOE system components

UNCLASSIFIE

# UNCLASSIFIE

#### **Phase 6 Activities**

**Weapon Modification and Retrofits** 

Can be done in the field or at Pantex Plant

Modifications and retrofits usually incorporate new technology to increase weapon safety and/or reliability

SECRET

**Inactive Stockpile (IS)** 

UNCLASSIFIED

00E 6 (3)

Components may be stored to upgrade IS weapons to the status of the same weapons in the active stockpile

# Manage Name

# **Phase 7-- Retirement**

Purpose:

To identify warheads to leave the active

stockpile and to be dismantled by the

**Doe Productive Complex** 

Other Activities:

**Temporary storage of retired weapons** 

by military is required as Pantex

cannot accept all retired warheads

**Proper disposal of dismantlement** 

waste stream

Storage of nuclear components at

Pantex due to inability to dispose of


them

Special nuclear material is reclaimed


and retained

UNCLASSIFIEL

# **DOD** and **DOE** Acquisition



## **ANNUAL STOCKPILE PAPER**



# SECRET.

# REFERENCES

AN AGREEMENT BETWEEN THE AEC AND THE DoD FOR THE DEVELOPMENT, PRODUCTION, AND STANDARDIZATION OF ATOMIC WEAPONS. MAR. 21, 1953 - SUPPLEMENT DATED SEPT. 5, 1984.

A MEMORANDUM OF UNDERSTANDING BETWEEN THE ERDA AND THE DoD ON NUCLEAR WEAPONS DEVELOPMENT LIAISON PROCEDURES. SEPT. 4, 1974.

STATEMENT OF THE DIVISION OF EQUIPMENT AND RESPONSIBILITIES BETWEEN THE AEC AND THE ARMED FORCES. MAR. 1954 (DMA & ASWOP).

DoD DIRECTIVES 3150.1 AND 5030.55.

FUNDING AND MANAGEMENT ALTERNATIVES FOR ERDA MILITARY APPLICATION AND RESTRICTED DATA FUNCTIONS. ERDA 97, (SRD) JANUARY 1976.

PLANT MISSION POLICY, PART II ALO RS3172-3/08333.

JNOLASSIFIE

## **GLOSSARY**

ABM Anti Ballistic Missile

ACDA Arms Control and Disarmament Agency

ADM Atomic Demolition Munition

AEC Atomic Energy Commission - then ERDA, now DOE

AF&F Arming, Fuzing and Firing

AFAP Artillery Fired Atomic Projectile

AFWL Air Force Weapons Laboratory - now Phillips Laboratory

AK Adaptation Kit

 $\alpha$  Alpha (Neutron Multiplication Rate)

ALCM Air Launched Cruise Missile

AL Albuquerque Operations Office

AMAC Aircraft Monitor and Control

ASDP Assistant Secretary (DOE) for Defense Programs

ATSD (AE) Assistant to the Secretary of Defense for Atomic Energy

AWLPG AL Workload Planning Guidance

Barn Unit of cross section - 10<sup>-24</sup> cm<sup>2</sup>

Boosting The use of deuterium/tritium to increase primary yield

Burnt Orange The colors of a well-known outstanding university

CAT (A,B,C,D,E, or F) PAL Permissive Action Link - code controlled open switch in the weapons arming circuit.

Characteristics as defined in the "General Characteristics" of PAL definition

CD Command Disable (locally initiated disablement of a nuclear weapon. Not,

certficate of deposit, but can be command destruct

CDU	Capacitor Discharge Unit	
CEP	Circular Error Probable; circle within which 50% of the weapons are expected to hit	
Channel	The space around the secondary and between the primary and secondary but inside	
	the radiation case	
CHE	Conventional High Explosive (means non-IHE)	
CINC	Commander-in-Chief	
CNWDI	Critical Nuclear Weapon Design Information - a DoD category of Secret RD	
	information or higher pertaining to sensitive weapon design information; not,	
	Caught Naked While Driving Intoxicated	
Critical Mass	The minimum amount of fissionable material capable of supporting a chain reaction	
	under precisely specified conditions	
СТВ	Comprehensive Test Ban	
DAB	Defense Acquisition Board	
DASMA	Deputy Assistant Secretary for Military Applications	
<b>Depleted Uranium</b>	Uranium which has had much of the isotope U <sup>235</sup> removed; essentially U <sup>238</sup>	
Destruct	Normally refers to the intentional destruction of a weapon by the high order	NOLASSIFIEL
	detonation of the weapons HE at a single point	
Disablement	Usually nonviolent actions taken on weapon hardware to prevent normal use.	VQ
	Disablement and destruct normally differ in degree	parent
DMA	Directory of Military Application - now DASMA	
DNA	Defense Nuclear Agency	-
DoD	Department of Defense	0
DRAAG	Design Review and Acceptance Group	- 14
EBW	Exploding BridgeWire (Detonator)	
EMP	Electromagnetic Pulse	

MR, EMI	Electromagnetic Radiation, Electromagnetic Interference

ENDS	<b>Enhanced Nuclear</b>	Detonation Safety
	=aaaaa.	Dotoriation Daioty

Enhanced Electrical Safety Embodiment of the exclusion region, strong-link, weak-link, unique signal concept (ENDS)

**EOD** Explosive Ordnance Disposal

**EP** Earth Penetrator

ER Enhanced Radiation - usually neutron enhancement

ERDA Energy Research Development Administration - was AEC, now DOE

ESD Environmental Sensing Device

FEBA Forward Edge of Battle Area - now FLOT

FLOT Forward line of troops
FPU First Production Unit

FRD Formerly Restricted Data. Same as RD for foreign nationals

FRP Fire Resistant Pit

Fuze Component or subsystem that triggers the firing set. Use of fuse will likely

bring abuse on you from old fuzing heads

FY Fiscal Year

GLCM Ground Launched Cruise Missile

HE High Explosive

HOB Height of Burst - vertical distance from the Earths surface to the point of burst

ICBM Intercontinental Ballistic Missile
IFI In-Flight-Insertion (mechanism)

IHE Insensitive High Explosive - some form of TATB

INC Insertable Nuclear Capsule

INF Intermediate Range Nuclear Forces

Interstage Area Intrinsic Radiation

IOC JAIEG

JCAE

JCS

JTA

kT

LANL

Lay-down

**Limited Stockpile Item** 

LLC

LLNL

LPO LRNTF

MA

MAR

MIRV

The space between the primary and secondary

Naturally occurring neutron and gamma radiation present at the surface of a

weapon

Initial Operational Capability

Joint Atomic Information Exchange Group

Joint Committee Information Exchange Group

Joint Chiefs of Staff

Joint Test Assembly

Kiloton equivalent of TNT hydrodynamic yield

Los Alamos National Laboratory

A form of weapon delivery and/or fuzing. Parachute delivered bomb from very low

altitudes with delayed groudburst using a timer fuze

A stockpiled weapon which has not been accepted as a "standard" item and for

which the DoD has requested additional development

Limited Life Component; component which must be periodically replaced due to

aging

Lawrence Livermore National Laboratory

Lead Project Officer

Long Range Theater Nuclear Forces

Military Application (DOE) - usually refers to the DASMA office or staff

Major Assembly Release; SNL prepared, AL approved statement that war reserve

weapon material is satisfactory for release on a designated date to the DoD for

specified use qualified by exceptions and limitations

Major Impact Report

Multiple Independently Targetable Reentry Vehicle

SEGRET

GNOLASS.

Mk#

Mark Number. The system of certifying nuclear weapons and RV/RBs, cars, and other assorted goods (like TV programs!) For nuclear weapons - now replaced by W for

Warhead and B for Bomb or other

MLC

Military Liaison Committee - historically was the coordinating and interchange of

information focus between DoD and DOE

MRR

Minimum Residual Radiation - now RRR

MRV

Multiple Reentry Vehicle

MT

Megaton, million tons equivalent TNT. Also metric tons - 1000 kilograms

NCLASSIFIED

OMA

Office of Military Application - now office of DASMA

ОМВ

Office of Management and Budget

**One Point** 

The detonation of the weapon HE at a single point

Оу	Oralloy - Oak Ridge Alloy. Uranium enriched in the isotope U235 to 93.5%
OSD	Office of the Secretary of Defense
PL	Phillips Laboratory (formerly Air Force Weapons Lab)
PAL	Permissive Action Link - coded use control feature
PA&E	Program Analysis and Evaluation, OSD, (not program annihilation and elimination)
P&PD	Production and Planning Directive
P&S	Production and Surveillance
PM-NUC	Program Manager - Nuclear Munitions (Army program office for nuclear-no longer active)
POC	Programs of Cooperation
POG	Project Officers Group
POM	Meeting of the POG
Primary	The "fission" device
Pu	Plutonium, a reactor produced fissionable material obtained by bombarding U <sup>238</sup>
	with neutrons
QA	Quality Assurance - DoD uses QART—Quality Assurance, Reliability Testing
QRA A	Quick Reaction Alert; weapon system deployed in a state that would allow its
ζΩ	employment in a stated minimum specified time
RB	Reentry Body - Navy term for RV
RB RD	Restricted Data; all data concerning design, manufacture, or utilization of nuclear
Maria Camp	weapons and the production of special nuclear material which has not been removed
	by the Atomic Energy Act of 1954
Rolomite	A Sandia designed ESD sensor
RRR	Reduced Residual Radiation - reduced fission devices—formerly MRR (Minimum
	Residual Radiation)
RTG	Radioisotopic Thermoelectric Generator

STS

Reentry Vehicle Army, Air Force - Navy calls them RBs, definitely not a

recreational vehicle

SAC Strategic Air Command

Secondary The "thermonuclear" device

Sec Def Secretary of Defense

Shake 10<sup>-8</sup> seconds

SLBM Submarine Launched Ballistic Missile

SLCM Sea Launched Cruise Missile

SNL Sandia National Laboratories

SNM Special Nuclear Material - Pu, Oy

SP Strategic Programs - Navy SLBM office

Specified Command Combat command with a broad and continuing mission - usually a single

service such as the Strategic Air Command

SRAM Short Range Attack Missile

SS Material Source Strength Material - DOE audits one kilogram quantities (includes

depleted and natural uranium)

SSPO Strategic Systems Program Office - now SP

Standard Stockpile Item A nuclear weapon which meets the approved military characteristics to DoD"s

satisfaction

Stockpile Nuclear Test QA test of a system withdrawn from the stockpile. That rare instance that a

stockpiled weapon is tested downhole at NTS - a stockpile "confidence test"

Stockpile-to-Target Sequence

TATB Triamino-Trinitro-Benzene; see IHE

TTR Tonopah Test Range - Sandia's testing range at Tonopah, Nevada

TREE Transient radiation effects on electronics Third isotope of hydrogen, radioactive gas used to boost weapons Threshold Test Ban Treaty Tuballoy - natural uranium. Sometimes also includes depleted uranium, i.e., essentially U238 A contour depicting permissible velocity and reentry angle combinations for a missile RV/RB **Unified Command** A combat command with a broad and continuing mission composed of forces of two or more services under a single commander U.S. Army Nuclear and Chemical Agency Under Secretary of Defense for Research and Engineering War Reserve nuclear weapons material (in DOE or DoD custody) intended for employment in the event of war Weapons Grade Pu Plutonium which has 6% or less Pu<sup>240</sup> content; Pu<sup>239</sup> is the good stuff Weapon Design and Cost Report Warhead Electrical System Weapon Secure, Safe, Storage Weapons Storage Vault (Weapons Security Vault) A device used to provide energy to initiate nuclear system detonators

## WEAPONS/WEAPON APPLICATIONS

WEAPON* APPLICATION	SERVICE
FATMAN BOMB	AF
LITTLEBOY BOMB	AF
Mk III BOMB	AF
Mk 4 BOMB	AF
T-4 ATOMIC DEMONITION MUNITION	Α
Mk 5 BOMB	AF,N
Mk 5 MATADOR	AF
Mk 5 REGULUS I	N
Mk 6 BOMB	AF
Mk 7 BOMB	AF,N
Mk 7 HONEST JOHN	Α
	Α
Mk 7 BOAR	N
Mk 7 BETTY	N
Mk 7 ATOMIC DEMONITION MUNITION	Α
Mk 7 NIKE HERCULES	Α
Mk 8 BOMB	N
Mk 9 280-mm AFAP	Α
Mk 11 BOMB	N

<sup>\*</sup>Absence of entry indicates system not fielded

UNCLASSIBLE

WEAPON	APPLICATION	SERVICE
Mk 12	ВОМВ	AF,N
Mk 14	ВОМВ	AF
Mk 15	ВОМВ	AF,N
Mk 17	ВОМВ	AF
Mk 18	ВОМВ	AF,N
Mk19	280-mm AFAP	A
Mk21	ВОМВ	AF
Mk23	16" AFAP	N
B24	ВОМВ	AF
W25	GENIE	AF
B27	ВОМВ	N
W27	REGULUS I	N
B28 6	ВОМВ	AF,N
W28	HOUNDDOG	AF
W28	MACE	AF
W30	TALOS	N
W30	ATOMIC DEMONITION MUNITION	Α
W31	HONEST JOHN	Α
W31	NIKE HERCULES	A
W31	ATOMIC DEMONITION MUNITION	Α
W33	8" PROJECTILE	A,N

UNCLASSIFIED

WEAPON	APPLICATION	SERVICE	
W34	LULU	N	
W34	ASTOR	N	
B34	HOTPOINT	N	
B36	BOMB	AF	
W38	ATLAS	AF	
W38	TITAN I	AF	
B39	BOMB	AF,N	
W39	B-58 pod	AF	
W39	REDSTONE	Α	UNCLASSIE
W39	SNARK	AF	GKE
W40	BOMARC	AF	остоним
W40	LACROSSE	Α	
B41	BOMB	AF	(6)
B43	BOMB	N,AF	productive count
W44	ASROC	N	
W45	BULLPUP	N	enter a de calendar de la calendar d
W45	TERRIER	N	المراجعة الم
W45	LITTLE JOHN	Α	
W45	MADM.	Α	
W47	POLARIS	N	
W48	155-mm AFAP	A,N	

UNCLASSIFIED

# UNCLASSIFIED

W49 ATLAS AF	
W49 THOR AF	
W49 JUPITER A,AF	
W49 TITAN I AF	
W50 PERSHING A	
W50 NIKE ZEUS A	
W52 SERGEANT A	
W53 BOMB AF	
W53 TITAN II AF	
W54 FALCON AF	
W54 DAVY CROCKETT A	
W54 SADM A,N	
W55 SUBROC N	
W56 MINUTEMAN AF	
B57 BOMB/DEPTH BOMB AF,N	
W58 POLARIS A3 N	
W59 MINUTEMAN I AF	
B61 BOMB AF,N	
W62 MINUTEMAN II AF	
W66 SPRINT A	
W68 POSEIDON C3 N	
W69 SRAM AF	

# SEGNET

	W70
	W71
	W72
	W76
	W78
	W79
	W80
	W80
	B83
	W84
	W85
7	W87
one di	W88
0	
Ô	
-	
morned myseed	

**WEAPON** 

<u>APPLICATION</u>		SERVICE
LANCE SPARTAN WALLEYE TRIDENT I MINUTEMAN III 8" AFAP SLCM ALCM BOMB GLCM PERSHING II PEACEKEEPER TRIDENT II	ICBM	A AF N AF A,N N AF AF AF AF A AF N

# SECRET.

# SURVEY OF WEAPONS DEVELOPMENT AND TECHNOLOGY

**WR708** 

## **SESSION II**

REVIEW OF WEAPONS PHYSICSTHEORY OF NUCLEAR EXPLOSIONS


# Weapons Physics and Nuclear Material

- Several basic nuclear physics concepts and the properties of the nuclear fissile material are very important to the understanding of weaponization
- The physics of fission
- Nuclear properties
- Availability of material
- How the fissile material is obtained
- Energy available and energy trades


# UNCLASSIFIED

# SEGRET.


# **NUCLEAR BINDING ENERGY**




Mass Number




## LIQUID DROP MODEL APPLIED TO POTENTIAL BARRIERS



## **CHARGE DISTRIBUTION CURVE**





### LIKELIHOOD FOR FISSION FRAGMENT

00E

6(3)

UNCLASSIBILIT

# **Terminology**

**Asymmetric fission** 

 division of excited nucleus into two unequal fragments with masses about 100 & 140 ama.

**Binary** 

division at scission point into two parts.

**Cross-Section** 

 probability that a certain reaction between a nucleus and an incident particle or photon will occur, as in a neutron and U <sup>235</sup> (measured in "barns")

**Fission Fragment** 

fragment after scission but before prompt neutron emission


**Fission Product** 

fragment after prompt neutron emission

UNCLASSIFIE

DOE

b(3)



99

UNCLASSIFIED

ALCOVED NO

238	1 1	
	U	92

% in nature - 99.27

When the <sup>238</sup>U<sub>92</sub> is extracted, it is called depleted <sup>238</sup>U or TUBALLOY or D38 (from UK WWII effort - TUBE ALLOY)

Will fission but not fissile

Physically separated

235[]

% in nature - 00.73

Concentrated to 93.5%

Called ORALLOY for Oak Ridge Alloy

239Pu

% in nature - essentially zero (mine in South Africa)

Made in reactor:  $n + {}^{238}U = {}^{239}P_U$ 

240Pu

% in nature - essentially zero

Made by reactor

If you leave the <sup>239</sup>Pu in "too long," it will absorb a n

Spontaneously fissions (originally a problem for pre-ignition)

SEGNET

UNCLASSIFIED

# **CALCULATION OF ENERGY RELEASE**

$$_{92}U^{235} + _{0}n^{1} \longrightarrow _{42}Mo^{95} + _{57}La^{139} \qquad _{7_{-1}}e^{\circ} + _{2_{0}}n^{1}$$

#### MASS DEFECT OF .219 amu

#### THE EXAMPLE STARTED WITH

$$_{54}\chi_{\rm e}^{139}$$
  $_{38}^{38}$   $_{57}^{\rm La}_{\rm a}^{139}$  AND  $_{38}^{\rm SR}_{\rm 95}$   $_{42}^{\rm Mo}_{\rm 95}$ 

#### **FISSION CHAIN**

# > 000 m

# THEORETICAL FISSION ENERGY

- THERE ARE  $\frac{6.025 \text{X}10}{235.0439}$  ATOMS PER GRAM OF  $_{92}\text{U}$   $^{235}$
- THEREFORE, 1 kg OF 92U 235 HAS 2.5634X10 ATOMS
- HENCE, @ 180 MeV PER FISSION 1 kg OF 92 U WOULD PRODUCE 4.6141x10<sup>26</sup> MeV IF EACH ATOM WERE FISSIONED.
- CONVERTING TO KILOTONS
- (4.6141X10 MeV) (3.824X10 -26 kT MeV ) = 18 kT

# SELBE

## **FACTORS AFFECTING CRITICAL MASS**


- GEOMETRY
- AMOUNT OF MATERIAL
- TYPE OF MATERIAL
- PURITY OF MATERIAL
- SURROUNDING MATERIAL
- DENSITY

SECRET


UNCLASSIFI

SEGRET UNCLASSIFIED

Α



# **FISSION CROSS SECTIONS**




## **INCIDENT NEUTRON ENERGY**

NOTE: The thermal neutron energy is not on the chart

### Variation of Cross Section x Ave. # Neutrons for 235U






Neutron Energy
Fission is more effective at higher energies N
Smallest fission generation time at high energies


 $(T=1/N\sigma_f-v)$ 

## Neutron Energy (MeV) U<sub>235</sub> Fission Neutron Energy Spectrum



(Reference, Lamarsh, 1966)

### "A Shake"



- Fission mean free path how long before it clobbers an atom like URANIUM
- Average velocity how fast it is going

• 
$$\tau = \frac{fission \ mean \ free \ path}{average \ velocity \ of \ neutron}$$

These values are derived experimentally and are related to the fission cross section and velocity of the neutron.

•  $\tau = 10^{-8}$  Seconds or 1 shake (real fast like the shake of a lamb's tail)

1

### **We Care About Neutrons**

- An efficient way to fission U<sup>235</sup> or Pu<sup>239</sup> is with neutrons.
- The fission of one atom of U<sup>235</sup> or Pu<sup>239</sup> releases approximately 200 MeV.
- To create an explosion by fission, a bunch of neutrons are required.
- The more neutrons--the more fission, i.e., We Care About Neutrons!
- Remember that each fission gives off integral numbers of neutrons--about 2-4, but over a bunch of fissions, we measure an average (i.e., 2.54 etc.) and this varies with input neutron energy.

 $\upsilon$  = average number of neutrons

- The whole idea of sustaining the fission process is to get these fission neutrons to go fission more U<sup>235</sup> or Pu<sup>239</sup>.
  - -If all the neutrons escape without fissioning anything, then the reaction fizzles! (The population becomes extinct.)
  - -If at least one of the 2 to 4 neutrons fission something every generation, then we have a steady state condition--a reactor.
  - -If most of the neutrons fission another atom etc., etc., we have a run-away condition--a nuclear explosion.

# UNCLASSIFI

## We Care About the Neutrons that Escape

- We call the escapees "lost neutrons," and the abbreviation is I (the letter after k).
- So the number of neutrons available for population growth is the average number per fission (u), i.e., 2.54 minus the lost ones.
- Someone called this k.
- Therefore: k = u /
  - -for every neutron causing fission in one generation k will cause it in the next generation.

### We Care About the Multiplication

- Now let's look at a bunch of fissions and bunch of neutrons.
- If we start with some number of neutrons (one or more), let that number equal n.

n = number of neutrons at beginning of a generation

- Remember, k= number of neutrons available for Round 2...
- And k times n equals number of neutrons at the next generation.
- Don't forget we've used up the original neutrons (n) in the first fission process..
- The gain of neutrons is thus:

(number of neutrons we started with) • (average number in a fission of Round 2 (etc.)) minus the ones we used up in the previous round.

### **Determine Growth Rate**

- We still care about neutrons, but we really care about the rate (speed) that they are produced.
- The rate is the

change in the number of neutrons change in time

· Mathematically this is represented

$$\frac{\mathsf{Dn}}{\mathsf{Dt}} \longrightarrow \frac{\mathsf{dn}}{\mathsf{dt}}$$

• To get the rate change, we divide the actual gain in neutrons by time (t)

UNCLASSIFIED

### **Apply Basic Calculus**

$$\bullet \quad \frac{dn}{dt} = \frac{nk-n}{\tau} = \frac{n(k-1)}{\tau}$$

• Let 
$$\alpha$$
 "alpha" =  $\frac{k-1}{\tau}$  substitution gives

• 
$$\frac{dn}{dt} = n\alpha$$
; Rearrange (cross multiply and divide)

• 
$$\frac{dn}{n} = \alpha dt$$
 Integrate from zero neutrons (N<sub>o</sub>) to N neutrons.

• 
$$N = N_o e^{\alpha t}$$
  
If  $\alpha$  is known, one can calculate the number of neutrons at any time (t).

## $\alpha \approx \frac{\mu - \iota - 1}{\tau} \approx \frac{3 - 1 - 1}{\tau} \approx \frac{1}{\tau} \text{ 1 gen / shake for 1 MeV neutron}$ where: $\mu$ = ave# Neutrons $\rho$ = Post Neutons

$$\label{eq:normalization} N \ = \ N_o e^{dt} \cong N_o e^{\frac{t}{\gamma}} = e^g \ \text{where} \ g \ = \ \text{Number of generations}$$

The energy released is proportional to the number of fissions The numer of fissions is proportional to the number of neutrons 1 fission  $\cong$  7 x 10<sup>-21</sup> tons of TNT At g = 48 we would have  $\approx$  9800 lbs.

The Energy Released is Proportional to the Number of Fissions


SECRET


UNCLASSIFIED

SECRET


UNCLASSIFIED


 $\alpha$  - Curve





UNCLASSIFIED






UNCLASSIFIED

### **Potential Fusion Reactions**





UNCLASSIRIED SECRET

# SECRET UNCLASSIFIED

### Theoretical Fusion Energy in Equal Atom Mixture of Li<sup>6</sup>D

1 kg of Li<sup>6</sup> has 
$$\frac{6.025 \times 10^{26}}{6.0151}$$
 = 1.00165×10<sup>26</sup> Atoms

1 kg of D has 
$$\frac{6.025 \times 10^{26}}{2.0141}$$
 = 2.99141x10<sup>26</sup> Atoms

Hence,

.25084 kg of D has 
$$\left(\frac{2.01410}{6.01512 + 2.0141}\right) \left(2.99141x10^{26}\right) \cong .75038410^{26}$$
 Atoms

.7491 kg of Li<sup>6</sup> has 
$$\left(\frac{6.01512}{6.01512 + 2.0141}\right) \left(1.00165 \times 10^{26}\right) \cong .750390 \times 10^{26}$$
 Atoms

$$Li^6 + {}_0n^1 \Rightarrow (.75039x10^{26})(4.6)MeV \cong 13.2kT$$

$$D + T (.75039x10)(17.6MeV) \cong 50.5kT$$

## NCLASSIFIE

where K is Boltzmann Constant

1.38X10<sup>-16</sup> erg/ •K 8.62X10<sup>-8</sup> keV/ •K

$$T (in keV) = 8.62X10^{-8} T (in •Kelvin)$$


Temperature of 1 keV =  $1.16x10^{7}$  degrees


Kelvin

# TAN ACCURATION

### Rational for Choice of Fusion Reaction

# UNCLASSIFIE





### **FUEL**

$$^{6}\text{Li}$$
 + n  $\rightarrow$   $^{4}\text{He}$  +  $^{3}\text{T}$  + 4.6 MeV

$$^{3}T$$
 +  $^{2}D$   $\rightarrow$   $^{4}He$  + n + 17.6 MeV

$$^{2}D$$
 + n  $\rightarrow$  H +  $^{2}n$ 

Net Reaction

$$^{6}\text{Li}$$
 + D  $\rightarrow$  2  $^{4}\text{He}$  + 22.3 MeV

UNCLASSIFIED

SECRET

FREQUENCY (HZ)

WAVE LENGTH (cm)

PHOTON ENERGY (keV)

CEOPET

# ONCLASSIFIED

### **Thermal Nuclear Plasma**

AT FUSION TEMPERATURES, WE HAVE A PLASMA OF IONS (NUCLEI AND ELECTRONS).

ENERGY = 
$$aT_{(ion)} + bT_{(electron)} + cT_{(radiation)}^4$$

IF PLASMA IS IN THERMODYNAMIC EQUILIBRIUM

THE THREE TEMPERATURES ARE EQUAL AT HIGH

TEMPERATURES, RADIATION WILL DOMINATE.

### **REFERENCES**

AN INTRODUCTION TO NUCLEAR WEAPONS; WASH 1037 REVISED; SRD (n) SIGMA 1 etc.; GLASSSTONE AND REDMAN.

SOURCE BOOK ON ATOMIC ENERGY; GLASSTONE; UNC 3rd EDITION

BASIC NUCLEAR PHYSICS; INTERSERVICE NUCLEAR WEAPONS SCHOOL

DNA PUBLICATIONS - TECHNOLOGY ANALYSIS REPORT

SANDIA, LLL, LANL TECHNOLOGY REPORTS

### SURVEY OF WEAPONS DEVELOPMENT AND TECHNOLOGY

**WR708** 

SESSION III

• NUCLEAR EFFECTS

UNCLASSIFIED

# SECRET UNCLASSIFIED

### **CONVENTIONAL EXPLOSIVE**

RELEASE OF ENERGY ARISES FROM THE BREAKING OF CHEMICAL BONDS (ELECTRON BONDS) IN THE HIGH EXPLOSIVE MATERIAL


### **NUCLEAR EXPLOSIVE**

RELEASE OF ENERGY ARISES FROM THE BREAKING OR MAKING OF NUCLEAR BONDS (HADRON-HADRON)

FISSION AND FUSION <u>YIELDS</u> ENERGY RELEASE + PARTICLES

UNCLASSIFIED

### **Effects of a Nuclear Explosion**



### **Nuclear Effects Generalities**

### **Subject Generally Divided into 3 areas**


- Phenomenology
  - Physics at the weapons source
- Interaction of the nuclear
- Military effects
  - Smashing (over pressure)
  - Turning over (dynamic winds)
  - Fires (Thermal pulse)
  - Radiation
  - Craters

# UNCLASSIFIE

### What are Nuclear Effects Calculations Used For?


- Determine how "hard" (radiation, blast, etc.) to make the weapon system (major cost implication)
- Determine the proper yield/accuracy combination
- Placement of weapon system on the battlefield
- Targeting
- Number of nuclear weapons required to achieve an objective
- Safety zones
- Etc.
- Historically, this is an area that has caused much discussion and argument. However, over the years, DNA has developed tools to standardize the methodology and has contributed greatly to the understanding of this area.
  - · Textbooks
  - Nomograms/Slide Rules
  - · T159 Programs
  - · HP 41 CX Programs
  - · Personal Computer Software

### **NUCLEAR SEPARATION DISTANCE**




tri 93 jch

### CONVENTIONAL WEAPON



SEGRET





## SECRET

## THE NUCLEAR PHENOMENOLOGY EXPERIENCED BY A SYSTEM DEPENDS ON:

**•YIELD OF WEAPON** 

**•DESIGN OF WEAPON** 

•WHERE WEAPON WAS DETONATED

•WHERE SYSTEM IS

•FOR SOME EFFECTS, WHAT SYSTEM IS DOING

## TAINE A COLLIN

### **NEUTRONS COME DIRECTLY FROM**

### **Fission**


N + fissionable material → two or more fission fragments + neutrons + energy

**And** 

### **Fusion**

$$D + D \rightarrow H_e^3 + neutron + energy$$

### **Fission Neutron Energy Spectrum**



Neutron Energy (MeV)
Reference: Lamarsh, 1966


## SECRET

### **Neutron Spectra**

MCLASSIFIED

UNCLASSIFIED

05.



### SEGRET

### **GAMMA RAYS**

### **ELECTROMAGNETIC RADIATION**

### **SOURCE:**

DETONATION FISSIONS

### **EARLY**

- NEUTRON INELASTIC SCATTER IN WEAPON DEBRIS
- NEUTRON INELASTIC SCATTER IN THE AIR AND GROUND

### **LATER**

- CAPTURE OF SLOW NEUTRONS BY NITROGEN
- FISSION PRODUCT DECAY

### **BLAST AND THERMAL**

IT'S HOT, HOT,----SO IT RADIATES HEAT

UNCLASSIFIE

THERE'S HIGH, HIGH, HIGH PRESSURE-----SO IT TRANSMITS A PRESSURE PULSE

### SEQUENCE OF EVENTS AFTER A NUCLEAR DETONATION IN THE ATMOSPHERE

1. ONCE UPON A TIME THERE WAS A NUCLEAR WEAPON--NOW THERE'S THIS 10 MILLION PLUS DEGREE BLOB OF VAPORIZED MATERIAL OCCUPYING ROUGHLY THE SAME VOLUME (78% OF ENERGY IS IN X-RAY).










3. THE MEAN FREEPATH OF "X-RAYS" IS .3 cm AT SEALEVEL. THE SURROUNDING LAYER OF AIR IS SUPERHEATED. <u>INITIAL X-RAY FIREBALL</u>



4. THIS ABSORPTION AND RERADIATING PROCESS RESULTS IN A RAPIDLY EXPANDING RADIATION FIREBALL. RADIATION GROWTH PHASE.


5. THE WEAPON DEBRIS
SNOWPLOWS AIR AND A
"NUCLEAR SHOCK" IS FORMED.
RADIATION FIREBALL CONTINUES
TO GROW, BUT GROWTH SLOWS
BECAUSE COOLING REDUCES MFP.




SECRET UNCLASSIFIED

6.

SHOCKWAVE
ASSOCIATED WITH THE FRONT BECOMES
DOMINANT. NUCLEAR SHOCK STARTS TO
"CATCH-UP." HYDRODYNAMIC SEPARATION



7. NUCLEAR SHOCK CATCHES UP, BUT REINFORCED SHOCKWAVE COOLS TO 3,000 DEGREES CELSIUS AND STARTS TO BECOME TRANSPARENT. SHOCK BREAKAWAY.




8. NO FURTHER INTERACTION BETWEEN EXPANDING SHOCKWAVE AND FIREBALL.




### THERMAL

### **Observed Thermal Pulse**



### **BLAST**

UNCLASSIFIED



 $R_2 > R_1$ 

OVERPRESSURE  $\triangle P = P - P_0$ DYNAMIC (GUST)  $P_d = 1/2 \text{ MV}^2$ TIME DEPENDENCE

 $P_d > \triangle P$  ( $\triangle P > 100 PSI$ )

 $P_{d} < \triangle P$  ( $\triangle P < 100 PSI$ )

SCALABLE PHENOMENA — SACH'S SCALING  $\begin{bmatrix} D_1 \\ \overline{D_0} \end{bmatrix} = \begin{bmatrix} W_1 \\ \overline{W_0} \end{bmatrix}^{1/2}$ 

BASIS IS COMPLETE DATA FOR 1 CASE EX: 1 kT STANDARD

FOR ALTITUDES OTHER THAN SEA LEVEL

$$\begin{bmatrix} D_1 \\ D_0 \end{bmatrix} = \begin{bmatrix} W_1 \\ W_0 \end{bmatrix}^{1/3} \begin{bmatrix} P_0 \\ P \end{bmatrix}^{1/3}$$

OTHER IMPORTANT ASPECTS:

MACHSTEM AND TRIPLE POINT PATH OPTIMAL HOB FOR MAXIMIZING OVERPRESSURE PRECURSOR


WILL BE COVERED LATER AND IN THE EFFECTS MOVIE


Distance from Ground Zero (feet)
1 Kiloton Standard (from Glasstone)

Bottom Line: electron moves in assymetric field

### SECRET

### High Altitude EMP






### **KEY Points**


- 1. Each  $\gamma$  gives a downward traveling compton electron.
- 2. The electrons are turned by the earth's magnetic field.
- 3. The relativistic electrons radiate energy downward.
- 4. The  $\gamma$  's and EMP radiation travel at the same speed. This leads to constructive interference of radiation from all electrons.

### OLGULET.

### **EMP PULSE**




### **Frequency Spectrum Comparison**




## NCLASSIFIE

### Representative EMP Pulse



**Time Duration** 



### INCLASSIFI

### 1 MT DETONATIONS AT VARIOUS HOB's (CO-Altitude)

	N 10 <sup>12</sup> n/cm <sup>2</sup>	N 10 <sup>15</sup> n/cm <sup>2</sup>	10 <sup>8</sup> rad/ sec	7 10 <sup>13</sup> rad/ sec	X-ray 20 cal/ cm <sup>2</sup>	X-ray 130 cal/ cm <sup>2</sup>	Thermal 4 cal/ cm <sup>2</sup>	Thermal 80 cal/ cm <sup>2</sup>	Over 2 psi	Over 10 psi	Over 3000 psi
Exoatmospheric	157	5.6	760	2.4	56.8	22.2					
100,000 ft	12.5	5.5	190	2.3	10.4	6.0	98	22	8.5	4.6	.7
1,800 ft	6.2	2.5	9.0	1.3			49	19	29.5	10.8	.8
Surface	5.6	2.3	8.5	1.3			40.4	12.1	25	10	1.1

Distances to Effect Levels in kilo-feet


D.

### **EXOATMOSPHERIC DETONATION**



**NEUTRONS** GAMMAS **XRAYS** SGEMP DEMP

**FF DENSITIES** TRAPPED RADIATION









**FLASH BLINDNESS** EMP

COMMUNICATIONS DISRUPTION



# DUST? THERMAL? OVERPRESSURE?



## UNCI ASSIT

### **Useful Rules-of-Thumb for Prompt Effects**

### Emergency Risk

- Thermal -- 3 cal/cm2
- Blast -- 4 psi
- Casualty from Blast
  - Exposed personnel -- 18 psi
  - Severe Tank Damage -- 49 psi
- Radiation Dose
  - Casualty -- 8,000 rads
  - Emergency Risk -- 150 rads

### Radiation Dose Immediate Casualty -- 8,000 rads

Range	Yield	Adjustment factor		
~0.5 km	~1 KT fission	~100m range for every factor 2 in yield		
~1 km	~ 1 KT enhanced Radiation	~100m range for every factor 2 in yield		
$\sim$ 1 km	~ 25 KT typical Fission	~100m range for every factor 2 in yield		

### **Radiation Dose-Prompt Effects**

Casualty	8,000 rads	~0.5 km	1 KT fission
Casualty	8,000 rads	~1 •km	1 KT ER
Casualty	8,000 rads	$\sim 1$ km	25 KT fission
Emergency Risk	150 rads	~1.5 km	1 KT ER
Emergency Risk	150 rads	~1.5 km	25 KT fission

**PEOPLE** 

**THERMAL** 

2-5 CAL/CM2

OVERPRESSURE >7 PSI

**RADIATION** 

>100 RADS

JNCLASSIFIED

## TANA IOM

### **Nuclear Targeting**

- Through intelligence data, the targets have a vulnerability number associated with it that allows the DoD to assign a weapon VN number.
- Vulnerability Number (VN)

XXPA XXQA

First 2 digits are related to the amount of pressure:

- P = over pressure (smash)
- Q = dynamic pressure (winds)
- A = adjustment for yield (tables geared to 20 kT)
- A typical VN:

Airfield = 12 P0 ~ 10 psi

SECRET UNCLASSIFIED

UNCLASSIFIED

- FEET

### REFERENCES

•THE EFFECTS OF NUCLEAR WEAPONS 3RD EDITION, GLASSTONE AND DOLAN, 1977, UNC

•CAPABILITIES OF NUCLEAR WEAPONS, DNA EM-1 PARTS I & II, SRD RS-3141 8798

A CHARGOTT I

### SEGRET

### SURVEY OF WEAPONS DEVELOPMENT AND TECHNOLOGY

**WR708** 

CLASSIFIEL

**SESSION IV** 

•HIGH EXPLOSIVES

•DETONATORS

**•EASILY IGNITED WITH QUICK TRANSITION TO** 

**DETONATION** 

•INSENSITIVITY

**•HIGH ENERGY DENSITY** 

**•SMALL QUANTITY REQUIRED** 

**PHYSICAL SEPARATION - TETRYL** 

brown

	Materiala	Chemical name	Other designations	Color
	*BTF	Benzotris-[1,2,5] oxadiazole-	Benzotrifuroxan,	Buff
		[4,4,7]-trioxide	hexanitrosobenzene	
	*DATB	1,3-Diamino-2,4,6-		Yellow
		trinitrobenzene		
	*DIPAM	3,3-Diamino-2,2',4,4',6,6'-	Hexanitrodiphenyl-	
		hexanitrobiphenyl	amine hexite,	
			dipicrylamine	200 1:4-
	*DNPA	2,2-Dinitropropyl acrylate		Off-white
	*EDNP	Ethyl-4,4-dinitropentanoate		Yellow
	*FEFO	Bis(2-fluoro-2,2-dinitroethyl)-		Straw
		formal		White
	**HMX	1,3,5,7-Tetranitro-1,3,5,7-	Cyclotetramethylene	White
		tetraazacyclooctane	tetranitramine,	
			octogen	Orongo
	*HNAB	2,2',4,4',6,6'-Hexanitroazo-		Orange
		benzene		Yellow
	*HNS	2,2',4,4',6,6'-Hexanitrostilbene	XII	White
A	**NC (12% N) <sup>b</sup>	Partially nitrated cellulose	Nitrocellulose (lacquer grade), cellulose trinitrate,	white
70			piroksilin	White
bermed	*NC (13,35% N,	Partially nitrated cellulose	Nitrocellulose, guncotton	Willie
hard	min) <sup>b</sup>	100 P	Nitroglycerin	Clear
THO ASSITED	*NG	1,2,3-Propanetriol trinitrate	Nitrogrycerin	Clear
	*NM	Nitromethane	Aminomethaneamidine	White
	*NQ	Nitroguanidine	Penthrite, TEN	White
	**PETN	Pentaerythritol tetranitrate 1,3,5-Trinitro-1,3,5-triaza-	Cyclotrimethylene	White
	**RDX	cyclohexane, hexahydro-	trinitramine,	
		1,3,5-trinitro-s-triazine	hexogen cyclonite,Gh	
	*TACOT	Tetranitro-1,2,5,6-tetraazadi-	Tetranitrodibenzo-	Red-
	*IACOI	benzocyclooctatetrene	1,3a,4,6a-	orange
		benzoeyeloociatettene	tetraazapentalene	
	**TATB	1,3,5-Triamino-2,4,6-trinitro		Bright
	""IAID	benzene		yellow
	**Tetryl	2,4,6-Trinitrophenylmethyl-		Yellow
	i eu yi	nitramine		
	**TNM	Tetranitromethane		Clear
	**TNT	2,4,6-Trinitrotoluene	Trotyl,T,tol	buff to
	1141	2, ., 0 111111111111111111111111111111111	* * *	brown

181

\*\*Denotes it has been used in nuclear weapons

Cast explosives: names and formulations.

	Formulation (wt%) <sup>b</sup>			
Explosive <sup>a</sup>	TNT	RDX	Other ingredients	
Baratol	24		Ba(NO <sub>3</sub> ) <sub>2</sub>	76
Boracitol	40		Boric Acid	60
*Comp B, Grade A°	36	63	Wax	1
Comp B-3	40	60		
*Cyclotol <sup>d</sup>	25	75		
H-6	30	45	Wax	5
			Al	20
			CaCl <sub>2</sub>	0.
*Octol	25		нмх	75
*Pentolited	50		PETN	50
Tritonal	80		Al	20

\*Properties of materials marked with asterisks are summarized in data sheets (Section IV).

<sup>b</sup>The weight percent values given in the table are nominal and subject to some variation.

<sup>c</sup>Comp B, Grade A is formulated as a 60/40 RDX/TNT mixture, but high-quality castings usually are higher in RDX content due to the removal of a TNT-rich section at the top of the casting.

There are several cyclotols and pentolites. The most common cyclotol is RDX/TNT 75/25. The most common pentolite is PETN/TNT 50/50.

### Plastic-bonded explosives: Names and formulations.

		Formulation		on	
	Explosive*	Other ingredients	Ingredient	wt%	Color
	*LX-04-1	PBHV-85/15	НМХ	85	Yellow
			Viton A	15	
	*LX-07-2	RX-04-BA	HMX	90	Orange
			Viton A	10	
	*LX-09-0	RX-09-CB	НМХ	93	Purple
)			pDNPA	4.6	•
4			FEFO	2.4	
2	LX-09-1		НМХ	93.3	Purple
-			pDNPA	4.4	•
			FEFO	2.3	
2	*LX-10-0	RX-04-DE	НМХ	95	Blue-green spots
			Viton A	5	on white
	LX-10-1		HMX	94.5	Blue-green spots
			Viton A	4.5	on white
5	*LX-11-0	RX-04-PI	HMX	80	White
-			Viton A	20	
	*LX-14-0		HMX	95.5	<b>Violet spots</b>
			Estane		on white
			5702-FI	4.5	
	*PBX-9007	PBX-9007 Type B	RDX	90	White or mottled
			Polystyrene	9.1	gray
			Di(2-ethyl-		
			hexyl)- phthalate	0.5	

### Plastic-bonded explosives: Names and formulations. (cont.)

		Formulation		
		Rosin	0.4	
*PBX-9010		RDX	90	White
		Kel-F	10	
*PBX-9011	X-0008	HMX	90	Off-white
		Estane		
		5740-X2		
*PBX-9205		RDX	92	White
		Polystyrene	6	
		Di(2-ethyl-		
		hexyl)-		
		phthalate	2	
*PBX-9404	PBX-9404-03	HMX	94	White or blue
. BX o io i		NC (12.0% N)	3	
		Tris (B-chloro- ehtyl)-		
		phosphate	3	
*PBX-9407		RDX	94	White or blac
		Exon 461	6	
*PBX-9501		HMX	95	White
		Estane	2.5	
		BDNPA	1.25	
		BDNPF	1.25	
PBX-9502		TATB	.05 Kel F	
LX-17		TATB	.075 Kel F	

UNCLASSIFIED

13 -

CLASS


UNCLASSIFIED

SOLASSITE OF THE SECTION OF THE SECT

SEGNET

THE STATES OF TH

SECRET



b(3)

SECRET

UNCLASSIFIED

SEGRET

UNCLASSIA

b (3)

UNCLASSIFIED

UNCLASSIFIE

SECRET

# INCLASSIFIED

UNCLASSIFIE

NOLASSITIED

OFODE

# SECRET.

UNCLASSIFIED

SECRET

### REFERENCES

• AN INTRODUCTION TO NUCLEAR WEAPONS; WASH 1037 REVISED; GLASSTONE, JUNE 1972

- PROPERTIES OF CHEMICAL EXPLOSIVES AND EXPLOSIVE SIMULANTS; LLL JULY 31, 1974, DOBRATZ UCRL 51319, REV 1
- SENSITIVITY OF INITIATION-SYSTEM DETONATORS: REVIEW OF CURRENT AND ADVANCED TECHNOLOGIES; R. E. SETCHELL; SAND91-1590

# UNCLASS F

NCLASSIFIE

### THIS PAGE LEFT BLANK INTENTIONALLY

### **No Notes for this Section**

### REFERENCES

- AN INTRODUCTION TO NUCLEAR WEAPONS; WASH 1037 REVISED, GLASSTONE, JUNE 1972
- SOURCE BOOK ON ATOMIC ENERGY; GLASSTONE, 3rd EDITION
- NUCLEAR TEST SUMMARY TRINITY HARDTACK DASA 1220; RS3141/10349
- VARIOUS WEAPON DEVELOPMENT REPORTS

### No Notes for this Section

### REFERENCES

- AN INTRODUCTION TO NUCLEAR WEAPONS; WASH 1037 REVISED, GLASSTONE, JUNE 1972
- SOURCE BOOK ON ATOMIC ENERGY; GLASSTONE, 3rd EDITION
- NUCLEAR TEST SUMMARY TRINITY HARDTACK DASA 1220; RS3141/10349
- VARIOUS WEAPON DEVELOPMENT REPORTS

## SEGNET

### SURVEY OF WEAPONS DEVELOPMENT AND TECHNOLOGY

**WR708** 

**SESSION VII** 

**•NUCLEAR DETONATION SAFETY** 

•NUCLEAR MATERIAL SCATTER

### **Surety**

PART OF A LAYERED NATIONAL PROGRAM PROTECTING AGAINST UNAUTHORIZED NUCLEAR DETONATION OR PLUTONIUM SCATTER

THE ADVERSARY: -

**Accidents - Safety** 

**Humans - Security & Use Control** 

**PREVENT UNAUTHORIZED NUCLEAR YIELD** & PU SCATTER

### SECRET

### Nuclear Weapon Surety aims to prevent three consequences

Nuclear yield - release of nuclear energy greater than the energy of four pounds of high explosive

Launch or release - sending a nuclear weapon toward a target

Pu dispersal - release of plutonium outside the weapon


SEGNET SEGNET

### The goal of surety standards


Compliance with nuclear weapon system surety standards should provide assurance against undesired consequences (nuclear yield, launch, or Pu dispersal) resulting from any causes (either intended or unintended).

### Consequences

Causes



### The dual approach to nuclear weapons safety



### DOE shares responsibility for safety, security, and control

From the 1983 Memorandum of Understanding between DOE and DoD on Objectives and Responsibilities for Joint Nuclear Weapon Activities

"The obligation of the DoD and the DOE to protect public health and safety provides the basic premise for dual-agency judgment and responsibility for safety, security and control (S <sup>2</sup>C) of nuclear weapons. This check-and-balance role shall continue. The DoD and the DOE share the responsibility to:

- 1) Identify and resolve health and safety problems connected with nuclear weapons. In particular, the DOE has a continuing responsibility to participate with the DoD in the consideration of these health and safety problems for nuclear weapons in DoD custody.
- 2) Prevent unauthorized use of a nuclear weapon through the use of positive control measure...
- 3) Determine the adequacy and effectiveness of physical security measures..."

### **Department of Defense Directive**

### 3150.2

Replaces DoD 5030.15...February 8, 1984
SAFETY STANDARDS

- 1. There shall be positive measures to prevent nuclear weapons involved in accidents or incidents, or jettisoned weapons, from producing a nuclear yield.
- 2. There shall be positive measures to prevent deliberate prearming, arming, launching, firing, or releasing of nuclear weapons, except upon execution of emergency war orders or when directed by competent authority.
- 3. There shall be positive measures to prevent inadvertent prearming, arming, launching, firing, or releasing of nuclear weapons in all normal and credible abnormal environments.
- 4. There shall be positive measures to ensure adequate security of nuclear weapons, pursuant to DoD Directive 5210.41.

### DOE Order 5610.10 10/10/90

### **Nuclear Explosive Safety Standards**

- a. There shall be positive measures to prevent nuclear explosives involved in accidents or incidents from producing a paclear yield.
- b. There shall be positive measures to prevent deliberate prearming, arming, or firing of a nuclear explosive except when directed by competent authority.
- c. There shall be positive measures to prevent the inadvertent prearming, arming, launching, firing, or releasing of a nuclear explosive in all normal and credible abnormal environments.
- d. There shall be positive measures to ensure adequate security of nuclear explosives pursuant to the DOE safeguards and security requirements.
- e There shall be positive measures to prevent accidents, inadvertent, or deliberate unauthorized dispersal of plutonium to the environment.

## DOE Nuclear Explosive Surety Standard uclear explosive operations shall meet the followards to prevent unintended nuclear detonation

All DOE nuclear explosive operations shall meet the following qualitative surety standards to prevent unintended nuclear detonation, fissile material dispersal from the pit, or loss of control. There shall be positive measures to:

- Minimize the possibility of accidents, inadvertent acts, or authorized activities that could lead to fire, high explosive deflagration, or unintended high explosive detonation;
- Minimize the possibility of fire, high explosive deflagration, or high explosive detonation, given accidents or inadvertent acts;
- Minimize the possibility of deliberate unauthorized acts that could lead to high explosive deflagration or high explosive detonation;
- Ensure adequate security of nuclear explosives;
- Minimize the possibility of or delay unauthorized nuclear detonation.

Reference: DOE Order 452.1, October 4, 1996

215

## יי טבטתבו

### **Positive Measures**

### From DOE Order 5610.10


- Design features, safety rules, procedures, or other controls used individually or collectively to provide nuclear explosive safety.
- Positive measures are intended to assure a safe response in applicable operations and be controllable.
- Examples
  - other safety devices
    administrative procedures and controls
    general and specific nuclear explosive safety rules
    design control of electrical equipment and mechanical
    tooling physical, electrical, and mechanical restraints
    incorporated in facilities and transport equipment

### **Explanation of normal and** abnormal environments

Normal environments (temperature, shock, electrical connections, etc.) are those defined in the weapon or system specifications and intended to be tolerated by the weapon or system. The system is designed to function normally during its entire lifetime if it experiences normal environments.

Abnormal environments are conditions experienced by the weapon or system that are outside the defined normal environments (more extreme temperatures, shocks, voltages, etc.). The weapon or system is not required to function after exposure to an abnormal environment.


#### **OPERATIONS & SAFETY DESIGN MUST BE BALANCED**



Lessor Safety Features

Better Safety Features

#### U.S. NUCLEAR DEPLOYMENTS CHANGED




UNCLASSIFIE

# OCUME!

### Manually Inserted Capsules


1948 - 1951



- Safety Theme: Separation of fissile material and HE
- Analysis: Accident must assemble weapon

# Mechanically Inserted Capsules

1952 - 1967




- •Safety Theme: Separation of fissile material and HE and electrical isolation
- •Analysis: Accident could assemble weapon by operating motor or by mechanical damage

INCLASS


### Sealed-pit Weapons

1957



- Safety Theme: Electrical isolation and one-point safety
- Analysis: Accident could generate firing signals; not one-point safe

#### **EVOLUTION OF NUCLEAR SAFETY**



### Early Electrical Isolation Safety Features

1950 - 1970

- Removable safing plugs
- Circuit board and cable isolation
- Removable or external power supplies
- Ready-safe switches
- Thermal fuses
- Environmental sensing devices

CECDET


UNCLASSIFIE

## **Environmental Sensing Devices** (ESDs)

An open switch in the prearming circuits.

It is closed after sensing an environment experienced by the weapon system when enroute to the target.

### **US Nuclear Weapon Accidents**



b (3)

9E68

UNC ASSITI

#### B-52G INCIDENT GRAND FORKS AFB 15 SEPTEMBER 1980

DURING A CARTRIDGE START FOR AN ALERT EXERCISE, AN ALERT CONFIGURED B-52G EXPERIENCED A FIRE IN THE NUMBER 5 ENGINE. 30 KNOT WIND WAS FORTUITOUSLY BLOWING FROM DIRECTION DIRECTLY AFT OF AIRCRAFT. FIRE WAS FOUGHT FOR THREE HOURS BEFORE FUEL FLOW TO ENGINE POD WAS SHUT OFF AND FLAMES EXTINGUISHED. ENGINE POD AND LEADING EDGE OF WING WERE DAMAGED, ALONG WITH SOME MINOR DAMAGE TO FUSELAGE SKIN.

**229** 

CORET-UNCLASSIFIE

## Nuclear Weapon Accident--Definition DOD Directive 5100.52

An unexpected event involving nuclear weapons or nuclear components that results in any of the following:

- (1) Accidental or unauthorized launching, firing, or use by U.S. forces or U.S. supported allied forces of a nuclear capable weapon system.
- (2) An accidental, unauthorized, or unexplained nuclear detonation.
- (3) Non-nuclear detonation or burning of a nuclear weapon or nuclear component.
- (4) Radioactive contamination.
- (5) Jettisoning of a nuclear weapon or nuclear component.
- (6) Public hazard, actual or perceived.

UNCLASSITIE

UNCLASSIFIED

b (3)

DOE 6(3)

UNCLASSIFIED

Accidents (mainly air-delivered systems) eventually led to reexamination of the premature nuclear yield criteria and to the present nuclear detonation safety design criteria.

#### **Need for a Safety Process**

- As the deployment dates for sealed pit weapons approached, the Armed Forces Special Weapons Project (AFSWP) and the Services became uncomfortable with their lack of knowledge and understanding of weapon safety designs.
- 1957, AFSWP convened a safety Board to examine the sealed pit weapon systems becoming available.
- Between 1957 and 1960, the Air Force convened joint safety study groups as weapons entered the stockpile.
- A formal, Joint DoD/DOE Nuclear Weapons System Safety process was established in 1960.

### DoD/DOE Nuclear Weapon Safety Process

- Joint Safety Study of Each Weapon System and Operational Concept
  - Determine if Weapon System Meets the 4
     Qualitative Standards
  - Develop Operation Safety Rules

#### and

 Ensure Maximum Safety Consistent with Operational Requirements

### 1968 -- DoD/DOE Agree on Premature Nuclear Detonation Design Safety Criteria

- The probability of a premature nuclear detonation due to component malfunctions, in the absence of any input signals except for specified (e.g. monitoring and control), shall not exceed.
  - (1) For normal storage and operational environments described in the STS, 1 in 10 per weapon lifetime.
  - (2) For the abnormal environments described in the STS, 1 in 10 per weapon exposure or accident.

UNCLASSIFIE

### 1968 -- DoD/DOE Agree on One-Point Detonation Design Safety Criteria

#### **One Point Safety**

- a. In the event of a detonation initiated at any one point in the high explosion system, the probability of achieving a nuclear yield greater than four pounds TNT equivalent shall not exceed one in one million.
- b. One-point safety shall be inherent in the nuclear design, that is, it shall be obtained without the use of a nuclear safing device.

# 10ht

#### **Four Pounds**

"The four pounds TNT equivalent evolved from a U.S. Navy requirement based upon personnel exposure in the engine room of an aircraft carrier resulting from a small nuclear yield occuring on the flight deck 50 feet above the engine room (Ref. 5). A study concluded that a detonation giving a nuclear contribution equivalent to 44 pounds of TNT would result in a 50% sickness dose ( $SD_{50}$ ) of 200 neutron rad to personnel in the engine room. To be conservative, a reliability factor of 10 was applied and the result rounded to four pounds. Another study, conducted in 1967 by the U.S. Army Nuclear Defense Laboratory, concluded that 8.5 pounds TNT equivalent would produce 200 neutron rad at 50 feet. This figure had a reliability factorr of two applied and the result rounded to four pounds, also."

Reference: "One-Point Safety," Defense Science, LANL, March-April 1983

UNCLASSIFIED SESSET

DOB 6(3)

UNCLASSITIE

# New approach to nuclear weapon safety needed

UNCLASSIFIE

### Safety Goals for Abnormal Environments

- Assured, predictable, safe response of the warhead electrical system
- Maintain predictable, safe response until intended use
- Minimize safety critical components and dependence on knowing accident scenario


# UNCLASSIFIE

#### Modern Nuclear Safety -- The 4 I's


- IsolationBarriersStronglink switches
- IncompatibilityUnique signals
- Inoperability
   Co-location of stronglinks and weaklinks
- Independence of safety subsystems

# SEGRET

#### **MORE SPECIFICALLY THE SAFETY GOALS ARE TO**




Co-locate detonation-essential components and protect them from abnormal environments by an exclusion region



#### MODERN SAFETY DESIGN PHILOSOPHY (cont)


### Allow energy/signals into the exclusion region only through a strong link



SECRET

UNCLASSIE


Control the strong link(s) with a unique signal not duplicated elsewhere in the system




THOLASSITED

Finally, to address credible but catastrophically severe environments, co-locate weak link detonation-essential components which will predictably become inoperable prior to the barrier or strong links losing their integrity.

### Nuclear Safety Theme WEAK LINKS




#### BECAUSE THE REQUIREMENT (LESS THAN ONE-IN-A-MILLION) IS QUITE STRINGENT



UNCLASSIFIE


JAC ASS

SEGRET



# JNCLASSIFIET


#### **ONE POINT SAFETY**




CLASSIFIED

ppt.11/16/94 teena/splash










### SURVEY OF WEAPONS DEVELOPMENT AND TECHNOLOGY

**WR708** 

#### **SESSION VIII**

- PROTECTION OF NUCLEAR WEAPONS
  - ACCESS CONTROL MEASURES
    - USE CONTROL MEASURES

### Layered Positive Measures to Assure Against Unauthorized Use




### THE NUCLEAR WEAPONS ACCESS CONTROL AND USE CONTROL PROGRAMS TRY TO:

 Prevent unauthorized access to a nuclear weapon

- Prevent loss of custody of a nuclear weapon
- Prevent an intended (but unauthorized) nuclear explosion
- Prevent an intended (but unauthorized) dispersion of SNM

AND...



UNCLASSIFIE

ACCESS CONTROL (TO THE WEAPON) IS ANALOGOUS TO ACCIDENT PREVENTION - IF NO UNAUTHORIZED ACCESS (ACCIDENT) OCCURS, THERE IS LESS POTENTIAL FOR A PROBLEM.

HOWEVER, USE CONTROL FEATURES STILL ASSUME SOME LEVEL OF ACCESS CONTROL EXISTS OR CAN BE REESTABLISHED.


### **ENVIRONMENTAL SENSING DEVICES (ESDs)**

An open switch in the prearming circuits.

It is closed after sensing an environment experienced by the weapon system when enroute to the target.

### INTENDED USE AND NON-INTENDED USE MODE OPERATION

- Intended Use Mode
  - —Use of the warhead, weapon and weapon system as designed to operate when used against a target.
- Non-Intended Use Mode
  - —Detonation "in place"; operation of weapon/weapon system in other than intended use mode.




### PAL (Permissive Action Link)


A code controlled switch which interrupts the warhead's arming circuit


# SECRET


#### **EVOLUTION OF NUCLEAR WEAPON USE CONTROL**













PERMISSIVE ACTION LINK

DEUKE





#### DISABLEMENT

•When initiated, disables certain key nuclear detonationessential components.


•Non-violent outside the weapon case.



# SECRET:

# UNCLASSIFIE


#### Warhead Use Control




b (3)

INCLASSIFIED

OF OFFI





### SURVEY OF WEAPONS DEVELOPMENT AND TECHNOLOGY

**WR708** 

#### **SESSION IX**

#### **AIRCRAFT WEAPON SYSTEMS**

- •WEAPON SYSTEMS
- •REQUIREMENTS
- •NUCLEAR WEAPONS SYSTEMS FOR ENDURING STOCKPILE
- •AIRCRAFT INTERFACE

### SANDIA NATIONAL LABS AIRCRAFT COMPATIBILITY DEPARTMENT

- Our charter is to ensure the Department of Energy that a capability exists between US nuclear weapons and the aircraft they are carried on throughout their life in the inventory.
- Our department was established in the early 1960's.
- We work with the military, aircraft contractor, and Sandia's weapon departments in the design of the aircraft/weapon interface.
- We define the requirements the military and contractor must comply with before final design approval can be granted.
- We conduct a wide range of electrical and mechanical tests to verify a capability exists.

### An Overview of the Evolution of Aircraft Monitor and Control (AMAC) Systems

- The AMAC acronym was created to describe the dedicated "black boxes" that monitor and control nuclear weapons.
- From 1945 to 1961, no standard weapon interface existed. Early bomb technology drove the design of the AMAC Systems.
- Little Boy (B1) and Fat Man (B2) were controlled by an AMAC known as a Flight Test Box (FTB). The FTB could measure battery voltages, turn on radars, and could verify certain components had not failed. Two manually inserted arming plugs were used to arm the weapons prior to pressurization of the cockpit at 8000ft.
- Manually inserted arming plugs were also used on the B3 (production Fat Man) and B4-0 bombs.
- 1950 saw the first bomb (B5) to incorporate a cockpit controlled inflight insertion (IFI) mechanism for enhanced nuclear safety. This device was the forerunner of the Ready/Safe switch, and it required a new AMAC to control this bomb feature.

### An Overview of the Evolution of Aircraft Monitor and Control (AMAC) Systems

- 1952 saw the first fighter-carried bomb (B7). It had an AMAC controlled retractable fin for ground clearance.
- By 1952 there were three AMAC systems for bomber aircraft and one for fighter aircraft.
- In the late '40s and early '50s AMAC systems were built around the specific needs for the bombs, not the aircraft.
- In 1954 Sandia started a program to standardize AMAC functions for new weapons under development.
- The result of this effort resulted in the T249 AMAC for bomber and fighter aircraft usage.

### An Overview of the Evolution of Aircraft Monitor and Control (AMAC) Systems

- New bombs designed during the mid to late '50s were made compatible with the T249 rather than building a unique AMAC for a specific bomb.
- AMAC design specifications, defined jointly by the DOE and DoD, first appeared in December 1961.
- AMAC specifications such as Bomber System A, Fighter System A & B, and Aero 6B were the forerunners of todays AMAC systems.
- Today's nuclear-capable aircraft, with the exception of the B-52 ALCM/ACM AMAC Systems, have what is known as a System 1 AMAC interface.
- The System 1 specification first appeared in September 1963.

### System 1 Offered Many Improved Features in Safety and Compatibility

- A current-limited Monitor State allowing weapon status to be checked without applying Safe power.
- Dedicated weapon status monitor pins for Safe, Arm, Permissive Action Link (PAL), and Weapon Present ID.

- Category (CAT) B PAL [6/63] and CAT D PAL [8/75] enhanced weapon security.
- Unique Signal Generator (USG) [8/75] enhanced weapon safety in abnormal environments.
- Command Disable (CD) [10/81] provided the ability to render a weapon useless from the cockpit.



STORT



### **Conclusion**

- All aircraft nuclear weapon interfaces built to date have been analog.
- AMAC systems have transitioned from separate to integrated designs.
- A System 2 AMAC specification, based on MIL-STD-1760, exists that defines a digital interface for possible use in future nuclear weapons.
- The number of nuclear capable aircraft has decreased considerably in recent years.

Ĩ

SERRET TO A SOLUTION OF THE SERVICE OF THE SERVICE

SECRET THO ASSET

281

#### THIS PAGE INTENTIONALLY LEFT BLANK

# SECRET

### SURVEY OF WEAPONS DEVELOPMENT AND TECHNOLOGY

#### **WR708**


#### **SESSION X**

Nuclear Weapons Dismantlement




### **Dismantlement Topics**

- **© Process**
- c.Magnitude
- o Doe/Labs Organiziton
- r Teemology Applications.
- o Laboratories Increased Presence at Pantex
- o Labro-Lab interchanges with Russians





### Nuclear Stockpile Dismantlement Process





#### **DOE** Custody





## PANTEX PLANT LOCATION BORGER AMARILLO. PARPA PAVRIANDLE CANYON

#### **Pantex Organization Responsibilities**

- e Covernment owned lacility
- SIDIOE AMARILLO Area Office (reports to AL)
  - -Administers operating contract
- Mason & Hanger Silas Mason Co., Inc.
  - Management and operating (M&O): Feontración
- Bailelle Menoral Institute
  - -Subsentractor for Environment Safety and Health (ES8H):
- e Sandia National Laboratories
  - Operates Weapons Evaluation Test

#### **Pantex Plant Statistics**

- e \$190M operating budget
- 2945 employees
  - **-2600 M&H**
  - 250 Baitelle

  - 17 Sancia
- i16,000 acres
- le 2,5 M sq. ift. buildings (425 units)


#### **Size of Dismantlement**

- C Paniex capability approximately 2000 per Year
- Backlog of weapons
- s Retirements continue

Taperoffic support retrements as they occur.

# UNCLASSIFIE

#### Stockpile (P&PD 93-2)



JECKET

#### Department of Energy Executive Mangement Team for Dismantlement

#### e Formed by DASMA

- Covers all aspects of retirement, return, disassembly, waste characterization, and disposal
- Develop integrated departmental positions and strategies for dismantlement
  - -Internal to DOE
  - -With Dod
- Membership with Dob
  - -DOE/AL, DOE/HQ, LANL, SNL, LLNL
  - Reports to DASMA weapons panel


### Department of Energy Executive Management for Dismantlement

::::D@E	/AL	Deborah	Morette	Chair	
DOE	/HQ	<b>Saren Lo</b>	mbardo	Exec	Sec
LAN		Mike Kell			
		Jerry Do			
		Paul Lon	gmire		

#### **Dismantlement Priorities**

- Weapons Shipment Planning
  - Priority based on risk analysis
- Material Destination Disposal
  - Identification
  - Characterization
  - -Obey Laws
- Storage of SNM
- -Keep at Pantex until better solution found

#### **DISMANTLEMENT PRIORITIZATION PROCESS**



# JNOLASSIFIA

#### **Dismantlement Prioritization Working Group**

- Joint DOE/DoD group chaired by Sandia
- Initial phase identified and ranked weapons based on weapon features
- Dismanilement process from initials retirements to disposal was defined
- Influences that determine priorities were identified
- DOE issues such as staging requirements and transportation assets were examined
- s Software written to process data
- Group continues for information exchange and planning assistance

SEORET UNCLASSIFIED

#### **Information Systems**

- Developing database for material Identification and characterization
- Compatible with each DOE design agency and production agency
- Allows Pantex to receive information electronically
- Allows each DA and PA to enter their desired data
- Replaces old scrapbook system at Pantex

## DOE Dismantlement Policy Component Retention, Reuse, or Evaluation

- For each weapon in the dismantlement process, a laboratory study will be conducted to determine if any of the major assemblies, components, or their subcomponents should be:
  - (1) Retained for reuse
  - (2) Salvaged for their strategic or economic value
  - (3) Retained for safety and use-control effectiveness evaluations
  - (4) Evaluated to provide further statistical data regarding the quality and reliability of comparable hardware in the enduring stockpile.

# INCLASSITE D

#### Non-Nuclear Hardware From Dismantled Weapons

- All hardware scheduled for disposal unless otherwise requested
- Sandia plans to request designated hardware to be returned for evaluation
- Possible storage of Sandia hardware for future use when a direct replacement in the enduring stockpile, e.g., mods of B61
- Los Alamos plans no storage of hardware except for Detonators
- LLNL plans no storage of hardware
- Evaluation units for LANL and LLNL will be requested as needed

#### Component Commonality Matrix, A Few Examples

B57 Solder Para Conn chute			Enduring Stockpile			
Conn chute	<b>V</b> 80	W76,W80,W87,W80	B83	W78	B61	Weapons
Conn chute		2	Para		Solder	B57
W68 Trig Trig Trig		*	chute		Conn	501
			Trig	Trig	Trig	W68
Ckt Ckt Ckt			Ckt	Ckt	Ckt	
W70 LAC LAC N.G. LAC			LAC		LAC	W70
W56, B61-0,		All to				W56, B61-0, W69,

## DOE Dismantlement Policy Component Retention, Reuse, or Evaluation

- For each weapon in the dismantlement process, a laboratory study will be conducted to determine if any of the major assemblies, components, or their subcomponents should be:
  - (1) Retained for reuse
  - (2) Salvaged for their strategic or economic value
  - Retained for safety and use control effectiveness evaluations
  - (4) Evaluated to provide further statistical data regarding the quality and reliability of comparable hardware in the enduring stockpile

#### **DSD Manual**

The Demilitarization and Sanitization for Disposition (DSD) Manual defines the process to be utilized in the nuclear weapons complex for applying the general guidelines to define and document a demilitarization sanitization, and/or render-safe process. The process description covers the use of the Demilitarization/Sanitization Table, the Weapon Component Data Sheets, and the issue resolution process.

#### MMSC Demilitarization/Sanitization

Part Nomenclature Dem	litarization San	itization Rende	r Safe Method	
Actuators/Squibs	Yes	No/Yes	Yes	Fire or explosive disposal (some use control items
Connectors	No	No/Yes	No	may require sanitization) None (unless rad hardening potting used, then sanitization required)
Detonators and Cable Assemblies	Yes	Yes	Yes	Fire - shred cable/crush header or explosive disposal (protect# info.)
Foams, cushions compression pads, desiccants, plastics, etc.	No	No/Yes	No	None (shred, melt, or burn if show classified contours or shock mitigation info.)
Mechanical Hardware (O-rings, brackets, bolts, cover plates, rings, etc.	No	No	No	None (part identifier removed if association makes classified)
Neutron Generator, Electronic	Yes	Yes	Yes	Crush (remove rad tube?)
Neutron Generator, Explosive	Yes	Yes	Yes	Fire (mixed waste) or timer driver to explosive disposal/tube to rad waste
Reservoir	Yes	Yes	Yes	Bury (remove rad material if appropriate)
Thermal Battery	Yes	No	Yes	Fire
Timers	No	No	No/Yes	None (fire - remove explosives if appropriate)
Use Control, PAL, CD Hardware	Yes	Yes	Yes	Expend, crush, shred, bury as appropriate

#### **Nuclear Material Storage/Disposal**


- -All pits put in interim storage
- -Yer to determine ultimate fate of plutonium
- e Secondaries under siudy
  - Portion to be stored
  - -- Portion to be disassembled into basic materials


# UNCLASSIT

#### **SNM Storage Problem**


- Present Storage Magazines
  - -Containers stored vertically in planar array
  - -At present rate magazines full in March 1994
- Proposed Changes
  - -Containers stored no rizontally in multi-layers
  - Activate additional magazines
  - Problem Created
    - High radiation levels
    - Worker could receive yearly allowable dose in approximately one day
- Solution
  - Use machines to load, retrieve, and inventory

#### Project Stage Right Storage





### **External Oversight**



#### Sandia/Pantex Robotics

- . Weighing and Leak Checking System (WALS)
  - Disassemoly
  - System Studies

#### **Quality Evaluation for Dismantlement (QED)**

- Concept originated in DOE Policy
  - -Generated by EMTD and approved by DR-20
- Labs assess dismantlement process
- Level 1 Weapon receipt through disassembly
- Level 2-Subassembly and component preparation for disposal
- Joint Lab team effort to provide the best technical advice
- M&H-Battelle retains overall responsibility
- Defense Nuclear Facility Safety Board values to process
- Level (Levaluations performed on W48, B57, W68, and W70
- e Official Laboratory Quality Releases in December 1992
- Planning for Level 2 underway

SEGNET- UNCLASSIFIE

#### Lead Lab Approach

- reserve technology at Laboratories
- ze limited resources supporting process and lacturing development
- intain Laboratories unique technical competer hance Laboratories capability to provide limite
- cilitate further enhancement of technology transfer
- reases scope of Laboratories functions ar responsibilities
- le and relationships of Labs and Production
- ead Lab responsible for maintaining technical xcellence in production technology

#### Pantex Lead Lab Assignments

- - -Sandia, Paul Long mire
  - - e Los Alamos, Luis Salazar
- a light Explosives
  - ELLNE Dick Haffield
- Responsible for developing and certifying processes at plants for Complex 21
- Follow-on to Technology Assessment and Selection Panel (TASP)--currently in operation

#### **Tri-Lab Project Office**



Laboratories play a stronger, more direct role, and well-defined role in nuclear operations, wherever they occur, with a first-step emphasis or Rantex operation.


Establish a Joint Laboratory Technical Support Office

- Tiri-Lab Project Office in operation
  - Ribbon cutting ceremony Sept. 29, 1993
  - Four offices for each Lab
  - -Three on-site residents from LLNL-Two from LANL
  - One resident from SNL-one more in process
- Full office facilities, e.g., adm. support, repository



#### Coopertive Program between US and Russian Labs

- Participants
  - US-Sandia, Los Alamos, and LLNL
  - -- Russia--Chelyabinsk and Arzamas-16
- Unclassified, non-sensitive information exhanges
- Four areas of activity
- Risk assessment-Stan Spray
- -Transportation Surety-John Kane
- Hazardous Materials-Paul Longmire
  - Communication and Translation-Patricia
    Newman
- Hazardous materials includes handling, materia ID, and waste management



# NO ASS

## SURVEY OF WEAPONS DEVELOPMENT AND TECHNOLOGY

#### **WR708**

#### **SESSION XI**

- •DETONATORS
- •FIRING SYSTEMS
- •NEUTRONS INITIATION
- •POWER SUPPLIES

#### Topics to be discussed

- Review of implosion assembly (IA) operation
- Review of stockpile detonators
- Firing system components
- Operation of explosive firing sets
- Stockpile firing sets
- Nuclear safety
- Production
- Future systems

#### **Assumptions for briefing**

 Students have an undergraduate background in engineering or science

# UNCLASSIFIED

#### Basics of an Implosion Assembly (IA)

UNCLASSIFIED

# Typical hot wire detonator (Firing current ~ 5 amps)

RDX or PETN
Density ~ 1.65 g/cc
8300 M/sec

Lead Styphnate
Density ~ 3.0 g/cc
5200 M/sec

Lead Azide
Density ~ 4.0 g/cc
5100 M/sec

# An exploding bridgewire (EBW) detonator (1.5 X 40 mil gold) initiation requires ~ 300 amps

RDX or PETN
Density ~ 1.65 g/cc
8300 M/sec


PETN
Density ~ 0.85 g/cc
5000 M/sec

## A basic exploding foil initiator (EFI), slapper detonator, consists of three components

Secondary Explosive Pellet (Typically HNS IV)

Insulating disk with barrel (hole)


Etched metal foil with insulated flyer



# EBW and EFI comparison for detonators which requires approximately the same initiation energy

	<b>Exploding Bridge Wire</b>	<b>Exploding Foil Initiator</b>
Energy	250 mJ	250 mJ
Current	<b>1000 Amps</b>	2,500 Amps
<b>Function time</b>	2.0 $^{\mu}{ m s}$	$0.5~\mathrm{\mu s}$
Energy coupled into explosive	$\sim 20$ % of stored energy	~ 5 % of stored energy
Explosive	<b>PETN (0.8 gm/cc)</b>	HNS (1.6 gm/cc)
HE melting point	140° C	320° C
* EBWs need recovery; slappers do	<sub>on't.</sub> (100° C degrades)	(doesn't degrade)


# Firing set provides: 1) Low to high voltage/current conversion; 2) Fuze/Fire interface; & 3) Det/NG interface



{Arming, Fuzing and Firing (AF&F)}

6(3)


## What is a capacitor? Basically two conductors seperated by a dielectric




Energy = 
$$1/2 \text{ CV}^2 = 1/2 \frac{Q^2}{C}$$

- Q is the charge in coulombs
- C is the capacitance in farads
- V is the potential in volts

# High voltage firing set capacitor (High Energy Density (HED) capacitor )



### Tradeoff of dielectric strength and dielectric constant - at field use condition




# SECRET

## Firing set capacitor bank for a large number of detonators

## Examples of high energy density capacitors

### Basic operation of a switch tube




# ZO ASSET

### Vacuum and gas switches

PLODET.


## Technology shift has led to reduced complexity and more repeatable processes




- Fab/Test Cycle Time ~ 2-4 months
- **2** Unit Cost ~ \$2-3K
- **3** Facility Space ~ 65,000 sq. ft.
- 4 Facility Cost ~ \$5M
- Multiple operations to closure



- **●** Fab/Test Cycle Time ~ 2-4 weeks
- **2** Unit Cost ~ \$200-400
- **B** Facility Space  $\sim 5,000$  sq. ft.
- **◆** Facility Cost ~\$1M
- **6** Single Step closure




# Explosive tack switch system - (Solid dielectric switch (SDS), Explosively driven switch)



## There are two technology areas that have been employed in the stockpile


- Capacitor Discharge Unit (CDU) Firing Set
  - Typically all electric
  - Re-testable when it is all electric
- Explosive-to-Electric Transducers (EETs)
  - Chemical energy from explosives are used in the production of electrical energy
  - Single pulse or one shot device

# Ferroelectric (FE) material retains a <u>bound</u> charge like a capacitor retains a <u>surface</u> charge




Energy = 
$$1/2 \text{ CV}^2 = 1/2 \frac{Q^2}{C}$$

## Bound charges are formed in a ferroelectric (FE) material during poling process




<u>Unpoled Ceramic</u>
Polycrystaline multidomain ferroelectric ceramic



Polling Process

Domains aligned by impressing external electric field

# A shock wave of the correct magnitude releases bound charges in ferroelectric (FE) material



Poled Ceramic
Bound surface charge
remains due to internal
electric field

Shock Depoling Process
Shock wave randomizes
dipoles elminating internal
field, thus freeing bound
charge to external circuit.


### Ferroelectric firing set

B54 and/or Isolator

Define isolator and where it is used and why it is used

JNOLASSITI

# Slim Loop Ferroelectric (SFE) material reduces remnant polarization to fraction of a micro coulomb



### MC3028 Firing set

### Firing set technology comparisons

Firing Set Technology	Typical Application	<u>Relative</u> <u>Advantages</u>	Relative Disadvantages
CDU	Bombs & Cruise missiles	Retestable no HE	Special effort to Harden
FE	Isolators	Power source not required, small, inherently rad hard	HE required Stored energy
SFE	Missiles (RBs, RVs)	Small, inherently rad hard	HE required Requires trigger
FM	Artillery shells (AFAPs)	Fastest arm/disarm Small, rad hard	HE required
CMF	Under ground testing (UGT)	Large output current & energy, rad hard	Long function time, HE required, requires timed trigger

### Firing sets have many complex requirements beyond that of initiating detonators

- Firing set complexity may be driven by
  - Nuclear safety
  - Radiation
  - Use control
  - Housing/mounting for other components
  - Testability
  - Manufacturability
  - Cost
- There may not be syngerism between requirements

### Nuclear safety requirements require the implementation of several complex features

<u>Principles</u>	<u>Implementation</u>
Isolation	Barriers, Strong links
Inoperability	Weak links, Colocation
Incompatibility	Unique signal operated devices
Independence	Multiple independent safety subsystems


## Firing system with enhanced nuclear detonation system (ENDS) features

### Capacitor technology - tradeoff of thermal weak link properties and radiation properties

# Packaging of the printed wiring assembly (PWA) in the B83 firing set <u>before</u> "sylgard 184 GMB"

NOLASSIFIED

### Simple nuclear weapon firing set



UNCLASSIT

SEGNET.

b (3)

SEGRET U

UNCLASSIFIE

### Firing systems in the active stockpile

## Firing sets and detonators in the active stockpile


JIOTASSIE

### Firing set production is ongoing at a low level


Weapon	MC Number	Technology	Quantity
B83	MC3971A	CDU	~ 10/month ongoing
W87	MC3719	CDU	~ 3-4/month starting 1998

UNCLASSIFIEL


### Roadmap for Advanced Firing/Detonation Systems (AF/DS) supports future stockpile needs



### Micro firing set




### Micro CDU firing set working prototype



# SECRET

### Micro CDU - 0.23 in<sup>3</sup> - Working prototype



NOLASSIFIE

# SEGNET

PO ASSITE

## Neutron Initiators Topics to be discussed

- Internal initiators
- External initiators
- Movie An overview of neutron source technology
- Technology involved
- Evolution of neutron generator development
- Production
- Future systems

### Basics of an Implosion Assembly (IA)

UNCLASSIFIE

## Neutron yield is dependent on ion source material and ion energy

## 12505

### **Neutron multiplication rate**

INCLASSI

## ZI ASSITE

## There are two fundamental reasons neutron sources are used in weapons

- Jump start the weapon
- Stabilizes the output

#### Alpha curve

NOLASSITE

## SEGNET

# UNCLASSIFIED

#### **Show Movie**

#### Basics of how a neutron tube work

Picture of a neutron tube

# UNCLASSIFI

## Neutron generator using an electronic power supply

Parameter Services

## SECRET

#### Implosion Assembly (IA) timing requirements

## Neutron generations requirements over time

MCLASSIFIEL

## TAICT ASSIFT

### Neutron generator timing is affected by several factors

- System center time shift with temperature
- Neutron generator center time shift with temperature
- Neutron generator jitter
- Firing set jitter
- Weapon detonator jitter
- Neutron generator detonator jitter (explosive NG)
- Shift in electronic components (electronic NG)

#### Neutron generator "family" picture

NCLASSIFIED

### SNL is now the production agency for neutron generators

- The targets will be loaded at LANL
- The first production requirement is for the W76 (2000)
  - MC4277 Neutron Tube
  - MC4380 Neutron Generator
- Future need for a small tube/generator for W80
  - FY2008? (P&PD 96-0)
  - Requires the small neutron tube, MC4300
  - MC4600 neutron generator

#### MC4380 Neutron generator

UNCLASSIF

#### MC4300 Neutron Tube

HOLASSIA H

SEGRET!

Design evolution from the MC4300 neutron

tube (W76) to the MC4600 neutron tube (future

applications)

#### **Power Systems**

- Basic battery types
- Examples of non thermal batteries
- Thermal battery applications
- Thermal battery operation
- Examples of thermal batteries
- Power supply design influences
- Battery performance
- Evolution of Battery Development
- Production
- Future Technology

UNCLASSIF

## SEGRET

## UNCLASSIFIE

#### **Basic battery types**

- Primary: not rechargeable
  - Active: power immediately available
  - Reserve: must be activated
- Secondary: rechargeable
- Nearly all nuclear weapon batteries are primary batteries
- Most weapon batteries are reserve batteries

UNCLASSIFIE

#### Types of power sources in nuclear weapons

- Thermally activated
- Rechargeable Ni/Cd
- Reserve Zn/AgO
- Active Li/SO<sub>2</sub>
- Active and reserve Li/SOCL<sub>2</sub>
- RTG (fissionable heat source)
  - Radio isotropic Thermal electric Generator (RTG)
- Double-layer capacitor

#### Non thermal battery applications

• SA2039

UNCLASSIFIEL

## **100**

#### Picture of a generic thermal battery

TINICI V CCIE

#### Picture of thermal battery cell

- Current
- Voltage
- Anode, cathode, electrolite
- Thermal vs current handling requirements

INCLASSIFIED

UNCLASSIFIED

## TNOT ASSIFIE

### Thermal batteries are used in many nuclear weapon applications

### • RADARs

- Programmers
- Timer
- Firing sets
- Spin rocked motors

- Parachute deployment
- Telemetry
- Command disable
- Command enable
- Fin activation

#### What is a thermal battery?

 Thermal batteries are primary reserve batteries that employ inorganic salt electrolytes, which are nonconductive solids at ambient temperatures, and integral pyrotechnic materials scaled to supply sufficient thermal energy to melt the electrolyte.

## BEOME?

#### Movie

Thermal Battery Ignition

UNCLASSIFIED

# UNCLASSIA

### Thermal battery performance- voltage - with constant load

#### Thermal battery performance- current with constant load

### Calcium chromate performance

UNCLASSIFIED

INCLASSIFIEL

## CECRET

#### Lithium battery performance

UNCLASSIFIED

UNCLASSIFIED

UNCLASSIFIED

391

# UNCLASSIFIE

#### Power supply design influences

- Reliability (0.995 0.997)
- Shelf life Thermal battery > 25 years
- Ruggedness W82 AFAP application
- Operating temperature
- Current density
- Pulse capability
- Voltage determined by cell chemistry




## UNCLASSIFIE

## Thermal batteries are mechanically and environmentally robust

- Example of the W82 AFAP MC3714 environmental requirements
  - Spin: 18,000 rpm
  - Setback acceleration: 17,000 g's, 10 ms
  - Angular acceleration: 40,000 rad/sec<sup>2</sup>
  - Ramming shock: 440 g, 1.83 ms, haversine
  - Rebound acceleration: 4000 g's 0.3 ms

UNCLASSIFIL

## The three dimensional design space for batteries is volume, performance, and life



## Picture showing thermal battery performance versus size

## Typical thermal battery performance Values based on Li(Si)/FeS<sub>2</sub> system

Battery Type	Active Life	Min Volts	Current	Specific	Volume
	(sec)	(v)	<b>Density</b>	Power	(cc)
			(m A/cm <sup>2</sup> )	(W/Kg)	
Pulse	0.050	17.5	7500	8000	10
Pulse	5	26	1000	1700	10
Power	200	12	1800	740	1640
Power	60	25	300	260	137
Power	120	26	120	80	360
Power	1200	26	100	80	320
Long Life	4500	13	55	18	320
		*			

### Examples of batteries used in the US nuclear weapons program

Weapon	Technology	Cell Voltage	Approx. Date
Little Boy	Lead Acid	2.0 volts	1945
Fat Man	Lead Acid	Lead Acid 2.0 volts	
MK4,5,6,7	Nickel-Cadium	1.2 volts	1953
MK15	Thermal CA-CaCr04	2.5 volts	1955
W62	Silver-Zinc	1.8 volts	1970
W70	Thermal Li/FeS <sub>2</sub>	1.9 volts	1973
B83	Thermal Li/CoS <sub>2</sub>	1.8 volts	1980's

### SECRET.

#### **W76 thermal battery**

#### MC2936 thermal battery

UNCLASSIFIED

### Battery production is currently taking place at three production agencies (PAs)

- Eagle Pitcher
  - The primary PA which resulted from the nonnuclear reconfiguration study
- SNL
  - The backup site for production which resulted from the nonnuclear reconfiguration study
- Enser Corporation Private Corporation
  - Recently formed out of Martin Marietta Specialty
     Components, Inc. (GEND, Pinellas Plant)

SEGNET


### SECRE

## UNCLASSIFIED

#### Battery production is at a low level

<u>Company</u>	<u>Nomenclature</u>	<b>Type</b>	<b>Application</b>	Quantity
Eagle Pitcher	SA3562	Zn/AgO	JTA	~ 2 Dozen
	MC3471A	Thermal	B61	300-400
	MC2736A	Thermal	JTA	~ 2 Dozen
4				-
Enser	MC3323A	Thermal	W80 JTA	~ 2 Dozen
SNL	MC4152	Thermal	B61 Common JTA	~ 2 Dozen

### Aerogel and a heater may increase battery output without increasing volume



## SEARTH ON CLASSIFIED

### SURVEY OF WEAPONS DEVELOPMENT AND TECHNOLOGY

**WR708** 





# TONOLASSIFIE

#### PHYSICS PACKAGE DEVELOPMENT TOOLS

- THEORY
- NON-NUCLEAR TESTING
- NUCLEAR TESTING



#### NON-NUCLEAR IMPLOSION DIAGNOSTICS

- PHERMEX (RADIOGRAPHY)
- PIN DOME
- HIGH SPEED PHOTOGRAPHY



# OCCUPATION OF THE PROPERTY OF

#### **NUCLEAR TESTING**

- •WEAPON DEVELOPMENT
- •EFFECTS
- **•VULNERABILITY AND HARDENING**
- •STOCKPILE RELIABILITY
- •PEACEFUL NUCLEAR EXPLOSIVES



1 language

407

# AND UNCLASSIFIED

#### **DIAGNOSTICS**

- •YIELD
- •"ALPHA"
- •CHANNEL TEMPERATURES
- •INTERSTAGE TIME
- •OTHER

#### REFERENCES

•LA2000 1947 SRD

FIREBALL YIELD

•WT900 DEC 1953 SRD

•SAND 77-0402 - "SHOCK PROPAGATION..." SLIPHER

•DNA-119M REPORT

•DASA 1211 - 1220 REPORTS

•LLNL RESEARCH MONTHLY 3141-83-1033 (DIAGNOSTICS)

**•DNA 170M REPORTS** 

•LASL-LLL SPECIFIC TEST REPORTS



## STORM UNCLASSIFIE

#### THIS PAGE LEFT BLANK INTENTIONALLY

SS V CANADA

# UNCLASSIFIED

### SURVEY OF WEAPONS DEVELOPMENT AND TECHNOLOGY WR708



**SESSION XIII** 

•TRANSFER SYSTEMS

# UNCLASSIFIED

#### GAS TRANSFER SYSTEM TECHNOLOGY



COMPONENT DEVELOPMENT DEPARTMENT

# TORY UNCLASSIFIED

#### SANDIA GAS TRANSFER SYSTEMS

- Classification
- Introduction
- Examples
  - SystemsReservoirs

  - Valves
- Concerns



(3)

**ARREA** 

CHOLASSITED

SECRETAL UNCLASSIFIED

b (3)

# THE UNCLASSIFIED

#### **BOOSTING**

DEUTERIUM AND TRITIUM ARE USED TO MAKE PLUTONIUM BURN MORE EFFICIENTLY (I.E., TO "BOOST" THE FISSION YIELD).

**HIGH EXPLOSIVE** 











#### **Tritium**



b (3)

UNCLASSIFIED

SOM UNCLASSIFIED



6 (3)

### WEAPON BOOSTING REQUIRES THE ABILITY TO STORE MIXTURES OF HYDROGEN ISOTOPES AND TO DELIVER THE APPROPRIATE MIXTURE ON DEMAND

#### THIS REQUIRES

- Containment reservoirs
- Flow Systems
- Explosive Valves

UNCLASSIFIED

SELLEN

UNCLASSIFIED

UNCLASSIFIED



5/3

BELOW

SECTION UNCLASSIFIED

#### CHALLENGES WITH GAS TRANSFER SYSTEMS

- Long Term Degradation
- Constancy of Delivery
- Complex Plumbing
- Minimization of Weight and Volume
- Cost



b (3)

b (3)

CLASSIFIE

STOCKPILE LIFE, YEARS

TROLLOGIED

UNCLASSIFIE

MANAGE

SL 18021 B CRD

SEGREN UNCLASSIFIED

b (3)

b (3)

JANA SA

UNCLASSIFIE

 $\frac{1}{3}$ 

UNCLASSIFIE

A CINCLA COLAR

437

b (3)

MARKE

UNCLASSIFII

**BENNA** 

h (3)

1499BE

TASSE

UNCLASSIFIED

200

UNGLASSIFI

b (3)

b (3)

**Apout** 

UNCLASSIFIED

b (3)

prepara

SECONO UNCLASSIFIED

CNCTASSIFIED

西海

UNCI ASSITED

(3)


TROLASSITED

SHOULD ONCE


b (3)

SEMPLE,

UNCLASSIFIED








**AFTER** 

**EXPLOSIVE VALVE OPERATIONAL SEQUENCE** 







STORY UNCLASSIFIED

SECOND UNCLASSIFIED

SFORWA





## UNCLASSIFIED

## UNIQUE DESIGN PROBLEMS IN TRITIUM RESERVOIRS (U)

- System
  - Must Deliver In Specified Time
  - Must Be Consistent
  - Satisfy Weight And Space Requirements
  - Fire And Accident Considerations
- Long Term Degradation
  - Subject To Hydrogen Embrittlement
  - Subject To Helium Embrittlement
  - Withstand Pressure Increase With Time
  - Subject to Radiation Induced Effects (Loss of Permeability, Stoichiometry)
- Safety
  - Must Be Super Safe Against

**Burst** 

Permeation (Walls, Welds, Stringers)


### Consequences of a stockpile tritium release:


- a. Weapon reliability
- b. Personnel safety
- c. Political/environmental ramifications

STORM UNCLASSIFIED

UNCLASSIFIED

DOE 6(3)







### Specifications

- Narrow chemistry—promotes weldability
- •Grain size——less than ASTM 5
- Vacuum—arc—remelt (VAR) material

Inclusions---ultraclean

Ferrete distribution—— < 3% minimize stringers

### Acceptance

- Chemistry
- Metallography

Grain size

Ferrite distribution

Inclusion

•Ultrasonics—porosity

For tritium reservoirs, it is necessary to improve the material properties



DOE 6(3)

WOLASSIFIED

Aborba

UNCLASSIFIED

SEARCH)

461

G CLASSIFIED

Doe (3)

and details

UNCLASSIFIED

463



### It is most important to clean all surfaces of undesirables

### **CLEANING**

### Why

- To remove residues and oxides which could interface with welding, plating, or heat treating processes
- To remove any metallic materials imbedded into the surfaces permitting the formation of a continuous protective oxide film
- To prevent sources of rusting and corrosion on the surfaces
- To remove contaminants which could react with tritium

### **How**

- Detergent solutions agitated ultrasonically
- Nitric acid solutions for dissolving imbedded copper and iron particles
- Nitric—hydrofluoric acid solutions for dissolving oxide films and imbedded particulate matter, and to etch certain stainless steel alloys
- Freon and alcohol rinsing for removing organic contaminants
- High purity water for rinsing
- High temperature vacuum bake

We take extreme care to verity cleanliness



### **CLEANLINESS VERIFICATION**

- Monitor the resistivity of the rinse water to verify the absence of ionizable material
- Use analytical rinses to check for organic and inorganic contaminants with infrared spectrophotometer and ion chromotagraphy
- Perform particulate analysis on each reservoir
- Check for imbedded iron particles with a copper sulfate test
- Borescopic examination where applicable
- Visual examination for discoloration, staining, or superficial corrosive attack

Both piece parts and assemblies are cleaned prior to inspection

TOTAL SALDAU 1946.

# SECENT UNCLASSIFIED

### Inspection and gaging costs approximate one-third of the piece part costs

### **INSPECTION AND GAGING**

### To assure:

Interchangeability of piece parts

Fit with next assembly

Conformation with engineering drawings

### We inspect and gage using:

In process monitoring—feedback

Open—set up inspection

Dedicated gages

Contour gages

Air gages—non-contact

Statistical sampling

Control of numerical machine tapes

Coordinate measuring machines

To minimize scrap and rework costs, we inspect early in the process

THE SELECT ASSITE

Weldments

Gas-tungsten are—autogenous and wire feed

Electron beam—autogenous and wire feed

Laser

Friction

Inertia

Resistance forge weld

**Brazes** 

Copper

Copper-silver-tin

Inspection and Control:

**Process monitor** 

Radiographic

Ultrasonic

Dye Penetrant

All pressure rated components are pressure tested




UNCLASSIFIED

JEDAM

DOE 6(3)

Dot 5(3)

DNCLASSIFIED



b (3/

AND ASSIFUE

UNCLASSIFIED

and where the state of the erie de doministration Normal Committee Committee

b (3)

UNCLASSIFIED

FIN UNCLASSIFIED

### THE UNCLASSIFIED

### PRODUCT DEVELOPMENT (U)

### AT SANDIA - R&D

- MATERIALS SELECTION AND TESTING SPECIMEN AND STRUCTURAL ANALYSIS
- COMPONENT DESIGN
  DRAWING AND SPECIFICATIONS
- PROTOTYPE DEVELOPMENT FABRICATION AND JOINING
- COMPONENT EVALUATION

  STORAGE AND STRUCTURAL TESTING
- SYSTEMS TESTING

  LABORATORY AND FLIGHT TESTS
- PRODUCT DEFINITION

### PRODUCT DEVELOPMENT (U)

b (3)





NAMAR

THE SCALE

UNCLASSIFIED (3)

477

### WINCLASSIFIEL

### WE HAVE NO REASON TO ASSUME WE FOUND ALL THE TRITIUM SURPRISES

It is not possible to extrapolate with adequate confidence, tritium effects on components

# SUN UNCLASSIFIED

### SURVEY OF WEAPONS DEVELOPMENT AND TECHNOLOGY

**WR708** 

**SESSION XIV** 

•RADAR FUZING TECHNOLOGY
•OTHER FUZING MODES

•ADVANCED FUZING CONCEPTS

H H

### **Nuclear Weapon Fuzing Technology**


- Introduction to Fuzing Components & Systems
- Radar Fuzing
- Contact Fuzing
- Inertial, Barometric, and Timer Fuzes
- Fuzing Systems
- Future Fuzing Systems
  - SLBM Warhead Protection Program



### What is a Fuze?

- Mechanism(s) within a weapon responsible for optimizing the location of weapon detonation
- · Initiates the final, irreversible phase of weapon detonation
  - Follows "arming" functions, which are
    - reversible
    - time-uncritical
  - Precedes "firing"





### **Fuzing System Hierarchy**

### Components:

Radars (Antennas)

Clocks

G-switches

Pressure sensors (Baro/hydro)

**Accelerometers** 

**Programmers** 

Crush sensors

HORE!

### SHOW DACE ASSITED

### **Fuzing System Hierarchy**

**Components:** 

Sub-Systems:

Radars

Airburst radars

(Antennas)

Proximity radars (prox time-down)

Clocks

**Timers** 

G-switches

G-started timers

Pressure sensors

Pressure-started timers

(Baro/hydro)

G-started integrating accelerometers (FBIAs)

UNCLASSIFIE

Accelerometers

Path length


**Programmers** 

Radar-Updated Path Length (RUPL)

Crush sensors

Impact fuzes


### **Fuzing System Hierarchy**



UNCLASSIFIED

# UNCLASSIFIED

### **Fuzing System Hierarchy**



### How is a Fuze selected?

### Traditional fuzing system priorities:

- Reliable
- Light weight (reentry body)
- Accurate
- Small (reentry body)
- Flexible
- Testable
- Producible
- Inexpensive

E UNCLASSIFIE

## SOUND UNCLASSIFIED

### How is a Fuze selected?

### Future fuzing systems must be:

- Inexpensive
- Producible
- Reliable
- Accurate
- Certifiable (test & analysis)
- Flexible
- Small (reentry body)
- Light weight (reentry body)



### **Radar Fuzing**

- Role of radar fuzing
- Basic radar fuze operation
- Radar design issues
- Current technology



UNCLASSIFIEI


## TOW UNCLASSIFIED

### Why use a radar?

- Height of burst precision to maximize extent of low overpressure levels
  - setability
  - accuracy
- Height of burst control to minimize fallout
- Dependable surface fuzing
  - Ensure detonation prior to collision
- Accurate altitude reference for improving inertial fuze accuracy (radar-updated path length fuze)




### PEAK OVERPRESSURES ON THE GROUND FOR A 1-KILOTON BURST





REFERENCE: GLASSTONE AND DOLAN, THE EFFECTS
OF NUCLEAR WEAPONS, 3RD EDITION US DOD AND DOE, 1977


## UNCLASSIFIED


### **Basic Radar Operation**












### Radar design considerations

- Immunity to electronic countermeasures
  - prevent premature detection of "radar-like" signals ("spoofing")
  - ensure detection of radar return in presence of RF energy saturation ("dudding")
- Plasma loss (space shuttle "black-out")
  - · affects both transmit and receive
  - · varies with: velocity


altitude

nosetip and heat shield materials





One-way plasma loss vs. frequency for ABRV-3 trajectory




BOARD UNCLASSIFIED

# WITH UNCLASSIFIED

### Radar design considerations, cont'd

- Antenna gain patterns
  - · affects both transmit and receive
  - must accommodate all flight path angles and roll orientations
- Target reflectivities
  - peak reflectivity & angular attenuation
- Frequency
  - Higher frequencies required for proximity fuze narrow pulse width
  - Higher frequencies require less "real estate" for antenna windows
    - Smaller antennas thought to have less impact on reentry body flight
  - Lower frequencies have lower "path loss" requiring less receiver loop sensitivity





b (3)

MANAGE

NOLASSITE

STATES UNCLASSIFIED








6(3)

ARCEASSING.

### Sandia Fuze Development & Production (1965 - 2010)



## SELECT UNCLASSIFIE

### **Contact Fuzing**



## **Contact fuze characteristics**

Output directly triggers firing set for fast operation

OR

initiates delay mechnism for weapon designed for impact survivability


- Piezoelectric materials release charge (voltage) when shocked
  - · generally not requiring external "poling" or charging
- Use pervasively throughout the stockpile for both selectable and backup fuzing

SAME ON CLASSIFING









## **Contact Fuze Characteristics**

## Advantages

- Very little penalty in weight, cost or volume
- Desirable as backup to air burst fuzing
- Radiation hardened and immune to jamming
- · Very reliable as a component
- Maximizes crater volume and ground motion in comparison to other air burst options

## Disadvantages

- Reduced "effects radius" for air burst targets
- Range offset associated with backup role
- Qualification / testing has been costly
- Dependability concerns (system reliability)




## THE WOLLSSIFIED

## **Contact fuzing degree of difficulty**


	Component	System
Design	Easy	Easy
Validate	Fairly easy	Very difficult

UNCLASSIFIED

## Contact vs. Proximity - Ground shock environments




Proximity fuzing consistently results in minimal degradation in ground shock environments when compared to contact




SE DIOLASSITIE

SHOWEN UNCLASSIFIED


ADDIEN UNCLASSIFIED




## Figure 29
















































(3)


b (3)

 STOREN UNCLASSIFIED

UNCLASSIFIED









UNCLASSIFIED










DOE b(3)


SHARRES

SECURITY UNCLASSIFIED

JENNA CONCLASSIFIED


UNCLASSIA







0.008

pine forest, P-0.13







Conditional Probabilities of Tree Impacts on the Reentry Vehicle Surface

# A UNCLASSIFIED

## Improved surface fuzing concepts have been explored for every new reentry system

- Faster-responding impact sensors
  - concepts include:
    - · faster-sensing mechanisms
    - forward deployment of traditional sensors
  - little, if any, additional protection against impact irregularities
- Radar proximity fuzing
  - adequate survivability for all impact scenarios
  - little, if any, degradation in burst height effectiveness

SECRET UNCLASSIFIED

SEUDENCLASSIFIED SEUDEN

SERVE SERVE

WHAT UNCLASSIFIED

DOE 6(3) SALUTE SECTION OF THE SECTION OF THE

UNCLASSIFIED


SALABAN CINCLASSIFIED


W)

#### **Inertial Devices**

- Mechanical g-switches & integrating accelerometers
  - Stand-alone inertial fuze or initiation of reentry timer fuze
  - · Closure of electrical contacts cause by completion of sensing mass travel
  - · Features to attain minimum g's and g-seconds
    - Fluid-metering
    - · Escapement mechanism
  - Mechanical feature variations limit accuracy to 1%
  - · Extensive use as nuclear safety switches
- Electronic integrating accelerometers
  - · Stand-alone inertial fuze or part of "path length" mechanization
  - · Control circuitry generates "restoring current" proportional to acceleration
  - · Provides continuous measurement of integrated deceleration
  - Electrical circuit tolerancing controls accuracy to 0.1%















PISTON & CAM TRAVEL

#### **FOLLOWER PIN POSITIONS:**


- 1. RESET
- 2. 1st STAGE INTEGRATION
- (PISTON STOP)
  3. DROP-THROUGH (PISTON BACKUP)
  4. MIDPOINT REST
- 5. 2nd STAGE INTEGRATION & LATCH


TWO-STAGE CAM SCHEMATIC







MC 2897 INERTIAL SWITCH













#### **Barometric Switches**



#### **Timers**

- Reentry body fuzing
  - Primary fuze on older systems
  - High altitude fuze and/or backup to radar on recent systems
  - Candidate fuze for earth penetrating weapons
- Bomb fuzing
  - Also uses timer for safe escape in laydown mode
- Artillary projectiles and special munitions
- Depth bombs
  - Timer initiated by water impact or hydrostatic pressure





#### Timers (cont'd)

- Mechanism for initiating arming functions, I.e., batteries
- Critical element of any programmer and/or computer for warheads, bombs, guidance platforms, etc.
- Technology evolution

•	Mechanical	Approximately 5%	accuracy
---	------------	------------------	----------

- Electronic (LC) Smaller with approximately 2% accuracy
- Crystal Smallest with accuracy measured in parts million



### Some Clocks In Stockpile MC3827 UNCLASSIFIED MC3827 Trident II MC4178 B61JTA MC3648 B61-7 MC4081 MC3852 B61-3,4,10 Processor

ARROBERA

(3)


## UNCLASSIFIED

### Stockpile Stewardship will require Maintenance, Refurbishment & Repair

#### **Future:**

- Performance certification (both current & new)
- Design & manufacturing (when required)

#### **Environment:**



#### **Current need:**

- Stockpile design options
- Capability sustainment

#### **SWPP DoD/DOE MOU (draft)**

#### Purpose for MOU

Program authorization

Roles & responsibilities

#### Program Objectives

Exercise DOE capabilities relevant to SLBM

Demonstrate viability of system & component replacement options for

W76 & W88

Emphasis on non-producible hardware and development of certification methods

Does not include fabrication of stockpile hardware


#### Deliverable

Design Data Package for each option -- design definition, manufacturing & certification feasibility, identification of subsequent activities



# UNCLASSIFIED

## Reentry systems advanced AF&F project





# SEOBEN UNCLASSIFIED

#### Fuzing options for replacement Mk4 AF&F

#### Mk4


- airburst radar, 3 ranges
- inertial airburst, g-started timer
- contact backup

#### Mk5

- radar-update path length (RUPL)
- airburst radar, 5 ranges
- inertial airburst, path length
- high airburst, timer
- proximity radar
- contact backup







# SPORT OF A CO.

#### Fuzing options for replacement Mk4 AF&F



dormant electronics during coast

minimum perturbation to existing antennas & RF system

reduced clock accuracy requirements

reduced inertial sensor accuracy requirements

simplified processing

reduced non-volatile memory requirements

nuclear safety upgrades enabled

improved instrumentation

dependable surface fuzing

new fuzing option for Mk4

reduced development & production costs






Mk5

# SECRETARY UNCLASSIFIED

## A&F architecture to support W76/Mk4 and Pit Reuse



#### The following information is for reference only

ONCLASSING.

b(3)

SAMMAS

THE SEAL OF THE SE

FORE UNCLASSIFIED

MAGAIS

UNCLASSIFIED

b (3)

7 6 (3)

A Market

G C SS

STORM ONCLASSIFIED

UNCLASSIFIED

571

b (3)

b (3)

FOREL ASSIFIED

SES CONTRACTOR OF THE PROPERTY OF THE PROPERTY

b (3)

SPORENT UNCLASSIFIED

UNCLASSIFED

TINOT A SCHERE

575

b (3)

SECT ASSITED

**577** 

SECTION UNCLASSIFIED

THE SAME OF THE SA

b (3)

## SURVEY OF WEAPONS DEVELOPMENT AND TECHNOLOGY


**WR708** 



•ARMS CONTROL ISSUES

## ACCESON OF A SSIFIFF

## Strategic Delivery Systems




## JUNCLASSIFIED

## The Evolution of Response Time

1948	Berlin blockade	2 days to assemble
1957	Suez	few hours to launch
1959	<b>DEFCON</b> established	
1960	JSTPS & SIOP	1/3 of bombers ready
		for immediate take-off
1962	Cuban missile crisis	1/8 on airborne alert



### **Arms Control Treaties**



### The Geneva Protocol - 1925

Banned the use in war of asphyxiating, poisonous, or other gases and of bacteriological methods of warfare

**US ratified in 1975** 

All major states now parties

UN Conference on Disarmament is working toward a ban on production and stockpiling

UNCLASSIFIEL

# SHORK UNCLASSIFIE

### Test Moratorium - 1958 to 1961

In March 1958, Soviets declared moratorium

In October, negotiations on CTBT began & Eisenhower announced 1-yr U. S. moratorium

May 1960 U-2 incident scrubbed planned summit

**Kennedy Administration resumed talks** 

August 1961, citing French test, Soviets resumed testing

Soviets conducted over 50 tests in the last 3 months of 1961



## **The Limited Test Ban Treaty - 1963**

Limited nuclear tests to underground

Original signatories were US, Soviet Union, and UK

US ratified 10/63

More than 100 parties now

France ceased above ground tests in 1974, China in 1980



# WOLASSIFIED

## **The Nonproliferation Treaty - 1968**

- Eisenhower proposed "Atoms for Peace" in 1953
- IAEA established in 1957 to promote and monitor
- Nuclear Nonproliferation Treaty was negotiated from 1965 and signed in 1968
- NPT Review Conferences every 5 years
- After 25 years (April 1995) the Review and Extension Conference (Chaired by Amb. Dhanapala) decided on indefinite extension
   without a vote
- In exchange for peaceful use of atomic energy, signatories agree to safeguards

# AFOREM UNCLASSIFIED

## States not party to the NPT (as of 1/23/97)

- Brazil
- Cuba
- India
- Israel
- Macedonia
- Pakistan
- Serbia/Montenegro

CBL 5/28/97

UNCLASSIFIED

## **Biological and Toxin Weapons Convention**

Outlaws development, production, stockpiling of all biological or toxin weapons and requires destruction of existing stocks

No specific verification provisions

Signed in 1972 and ratified by the US in 1975

Nixon ended US program in 1969 and destroyed stocks

Soviet incident at Sverdlovsk in 1979



## **SALT I - 1972**

**Interim Agreement on Strategic Offensive Arms** 

Limited launchers (silos and sub tubes) to the then current number

**US - 1710** 

SU - 2347

Limit on heavy launchers (SS-9 and later SS-18)

Five year duration

**US ratified in Oct 1972** 

Reagan repudiated SALT I and II in May 1986



## ARCHIVE UNCI

## Joint Statement on the ABM Treaty - March 21, 1997

- Preserve the ABM Treaty, prevent circumvention, and enhance viability
- TBM systems may be deployed, but must not threaten strategic nuclear forces
- TBM systems will not be deployed against each other (?)
- SCC to complete demarcation between TBM and ABM
  - target missile velocity < 5 km/s, range < 3500 km
  - no space based TBM interceptors based on OPP

## JAN SCHOOL SCHOO

## **ABM Treaty - 1972**

Johnson and McNamara tried to convince Kosygin at Glassboro to limit ABM systems - June 1967

**US announced Sentinel program in September1967** 

ABM talks were postponed by Soviet invasion of Czechoslovakia in 1968

Nixon changed concept to Safeguard, protecting ICBMs and Washington, DC

Treaty prevents defense of territory, limits to 2 sites with 100 interceptors, limits LPARS

Forbids mobile ABMS or sea, air, or space systems

OPP, Krasnoyarsk, SCC, capabilities questions



## UNCLASSIFIED

## **Threshold Test Ban Treaty - 1974**

Signatories are the US, Soviet Union, and UK



**Verification by NTM (seismic)** 

A two page treaty

**Joint Verification Experiment in 1988** 

**US ratified in 1989** 



## Peaceful Nuclear Explosives Treaty - 1976



Permitted maximum aggregate yield of 1.5 MT, with on site monitoring for yields above 150kT

Plugged a loophole in the TTBT



## CINCLASSIFIED

## **SALT II - 1979**

Limited and reduced SNDVs		
All SNDVs	2250	(2504 actual)
MIRVed ICSs, SLs, bombers	1320	
MIRVed ICs, SLs	1200	
MIRVed ICs	820	

One new type, no new heavies, MIRV limits

CM counting rules, FRODs, Backfire statement

Verification by NTM, no encryption

12/79 Afghanistan, withdrawn from ratification

"Fatally flawed," no undercut, then terminated 5/86




DOE 6(3)

## Conventional Forces in Europe - 1990

MBFR talks ended after 15 years in February 1989

CFE talks formally opened March 1989, with the 23 members of NATO and the Warsaw Pact

Wide-ranging and intrusive verification regime





## START Treaty - 1991

Signed July 31, 1991, 5 months before the end of SU

Lisbon Protocol, signed May 1992, committed Russia, Ukraine, Belarus, and Kazakhstan to START (and NPT)




	START	<b>US</b> forces*	Soviet forces*
SNDVs	1600	2246	2500
<b>ICBM &amp; SLBM Warheads</b>	4900	8210	9416
<b>Total Warheads</b>	6000	10563	10271
Heavy ICBM Warheads	1540		3080
Mobile ICBM Warheads	1100		618
Throw-wt ICs & SLs	3600	2631	6626
(metric tons)		*as	of 9/90

LASSIFIED

### **Nuclear Posture Review - 9/94**

- **Strategic Forces** 
  - No more than 20 B-2 bombers
  - Reduce B-52 force from 94 to 66
  - Reduce Trident fleet from 18 to 14
  - Maintain single RV MM III
- **Non-Strategic Nuclear Forces** 
  - Maintain European NSNF at current level (<10% of Cold War levels)
  - Eliminate nuclear weapons capability from surface Navy
  - Retain cruise missile capability on subs
  - Retain land-based DCA





### Comprehensive Test Ban Treaty - 200?

- Adopted by the UNGA 9/10/96
  - CD could not reach consensus (India)
- EIF requires 44 states with reactors.
  - includes India, Iran, Egypt, Israel, North Korea, Pakistan
- Activities not prohibited finessed
  - US "true zero" yield
- Zero not verifiable, less than 1kT too expensive
- International Monitoring System
  - Seismic, Radionuclide, Hydroacoustic, Infrasound
  - OSI requires 30 of 51 Executive Council votes



## MICLASSIFIED

### **START III - 200?**

- Clinton and Yeltsin at Helsinki Summit, March 21, 1997
  - Immediate START III negotiations upon START II EIF
  - 2,000 2,500 strategic <u>warheads</u> by end of 2007
  - Transparency of strategic warhead inventories
  - Measures to promote irreversibility of warhead reductions
  - Deactivation of SNDVs under START II by end of 2003
  - Elimination deadline for SNDVs extended to end of 2007

Joint Statement on Parameters on Future Reductions in Nuclear Forces

CBL 5/28/97



## ALCE ONCLASSIFIED

## The President's Nuclear Initiative-1991

#### **Sept 1991**

Eliminate ground launched tactical nuclear weapons

Lance and AFAPs

Withdraw tactical nuclear weapons from surface ships, subs and P-3 bases

B-57, SLCM, B-61

Stand down strategic bombers from alert

Stand down MMII

Cancel mobility for PK and SICBM

Cancel SRAM II

**Propose joint elimination of MIRVed ICBMs** 

#### Jan 1992

Build only 20 B-2s

**Cancel SICBM** 

Halt production of ACM

Halt production of W88 for Trident II



# HAWUNCLASSIFIED

## **START II - 1993**

Treaty between the Russian Federation and US, signed by Bush and Yeltsin January 3, 1993, codifed agreements of the Washington summit of June 17, 1992.

#### **START II builds on START - and requires START**

	START	START II Ph1	START II Ph Ph2
Start Warheads	6000	3800-4250	3000-3500
<b>ICBM &amp; SLBM Warheads</b>	4900	no sublimit	no sublimit
MIRVed ICBM Warheads	N/A	1200	0
<b>SLBM Warheads</b>	N/A	2160	1700-1750
Heavy ICBM Warheads	1540	650	0
<b>Mobile ICBM Warheads</b>	1100	1100	1100

Phase one to be complete 7 years after entry-into-force, Phase two by 2003



## **Comprehensive Test Ban**

- Negotiations ongoing at the UN CD
- China testing through '96
- France resumed (8 tests) 9/95 5/96
- Activities not prohibited

US - "true zero" UK - soon, US codes

France - OK

Russia - eventually

**China - waffling, still wants PNEs** 

- Zero not verifiable, less than 1kT too expensive
- International Monitoring System

Seismic - 50 stations, 50 - 150 auxiliaries

Radionuclide - Ba140, 75 - 100 stations, US wants Xe

**Hydroacoustic** 

Infrasound - 50 - 60 stations

Implementing agency - IAEA or ?



### **Books of interest**

The Making of the Atomic Bomb, Richard Rhodes, 1986.

Pulitzer prize winner, follows the scientific discoveries that led to the bomb, particularly good at the personalities involved, finishes with vivid descriptions of Hiroshima and Nagasaki. Excellent and entertaining.

At the Highest Levels, Michael R. Beschloss and StrobeTalbott, 1993. Intimate details of the end of the Cold War, as seen at the top.

Lenin's Tomb, David Remnick, 1993.

Details the end of the Soviet Union from the viewpoint of the Russian people and their legacy. Choppy, but a very human picture of the great event.

The Wizards of Armageddon, Fred Kaplan, 1983.

Follows the policy and strategy decision regarding nuclear weapons, much emphasis on the early RAND personalities. Very good and readable.



The ingredition that the

## Nonproliferation

A New Challenge to the US Nuclear Weapon Program

SESSIONS XVI

John Taylor

National Security Policy Research Department

Sandia National Laboratories





ASS

#### विश्वानारकारिक स्थानकार विशेषकारिक

## **Some Definitions**

Proliferation is the spread of weapons of mass destruction (WMD)-- typically nuclear, biological, and chemical weapons--and the systems which deliver them.

Nonproliferation is the use of the full range of political, economic and military tools to prevent proliferation, reverse it diplomatically, or protect our interest against an opponent armed with WMD or missiles.

<u>Counterproliferation</u> measures are the activities of the DoD across the full range of U.S. efforts to combat proliferation.



**U.N. Paralyzed** 

New

Bipolar Rigidity
Predictable
Communism
U.S. Dominant Western Power
Fixed Alliances
"Good Guys and Bad Guys"

Multipolar Complexity
Uncertain
Nationalism/Religious Extremists
U.S. Militarily No.1 - Not Economical
Ad Hoc Coalitions
"Grey Guys"
U.N. Viable

UNCLASSIFIED

Ref.: National Security in the 1990s: Defining a New Basis for U.S. Military Forces, Rep. Les Aspin, Chrmn House Armed Services Committee, January 6, 1992

Morning office entire infliction

### **The Changing Threat**

Old

New

Single (Soviet)

**Survival at Stake** 

Known

**Deterrable** 

**Strategic Use of Nukes** 

**Overt** 

**Europe-Centered** 

**High Risk of Escalation** 

**Diverse** 

**American Interests at Stake** 

Unknown

Non-Deterrable

**Terroristic Use of Nukes** 

Covert

Regional, III-Defined

Little Risk of Escalation

Ref.: National Security in the 1990s: Defining a New Basis for U.S. Military Forces, Rep. Les Aspin, Chrmn House Armed Services Committee, January 6, 1992



- 253 Sovereign nations, dependent areas, etc.
- 189 (<u>+</u>) Countries
- 177 Members in the United Nations
- (171 Members in FIFA!)
- 60 conflicts in progress involving more than
   130 states or subnational entities



#### All the World's Conflicts - May 1996

Area

Countries

Intensity

Nature of Conflict

#### Intensity by type and percent of total

High	1	(())	10%	(1)(;)
Medium	17	(18)	28%	(30%)
Low	.12	(40)	71%	(70%)

Totals 60 (58)

Numbers in ( ) from last reporting period (2/96).



#### **Summary and Analysis**



#### Number and Percentage by Conflict Type

Territory	15	28°r
Ethnic	31	53%
Oil	-1	7%
Civil War	30	52%
Religious	()	16%

#### Percent of Total by Region

Europe	12%
Latin America	19%
Africa	31%
Middle/Near East	12%
South Asia	8%
Southeast Asia	7%
Far East	100%







This ingranite contain truth in the

# What Constitutes a Weapon of Mass Destruction

- Indiscriminate nature of use
- Effect not confined to belligerents
- Excessive injury -- "cruel and unusual"
- Inability to defend against effectively
- Use would overwhelm medical and evacuation resources
- Notion of "terror"



UNCLASSIFIE

# Motivation to Acquire Weapons of Mass Destruction

Great Powers have always countered the weapons of other great powers (e.g., USSR in the late 1940s)

Fear that a great power ally will not follow through (e.g., UK, France)

Fear over nuclear capabilities of potential adversaries (e.g., PRC, India, Pakistan, Iran, perhaps US in 1940s)

Fear of adversaries conventional strength (e.g., Israel, perhaps US in 1940s)

Cheaper than conventional defense (e.g., US in 1950s)

Desire for offensive capability (e.g., US in 1940s?)

Status in world or region (e.g., Iraq)

# UNCLASSIFIED

# Some Proliferants of Concern

Country				
China			litia:	
India				
Iran				
Iraq		The state of the s		for constitutions of the
Israel		•		
Libya		·		
Pakistan	The second deliberation is a second of	Erneyea man		
North Korea				and the same
Russia				300,000,000,000
Belarus, Kaz., Uk.				

		_
10-11-11-11	Thought to possess capability	
	May possess capability	
<b>HORMAN MARKA</b>	Thought not to possess capability	

# "Cost Effectiveness" of Weapons of Mass Destruction

The cost of producing, storing and delivering weapons can be estimated as the amount of money to deliver one lethal dose.




For chemical weapons = \$100

For biological weapons = \$1





# How many nuclear weapons states will there be in the year 2000?





78-S/1099-02

- Acknowledged/Declared Nuclear Weapon States
  - -- US, UK, China, France, Russia
- Undeclared but widely suspected Nuclear Weapon States
  - -- India, Pakistan, Israel
- "Inheritors" of Soviet weapons
  - -- Ukraine, Kazakhstan, Belarus
- Virtual Nuclear Weapon States (e.g., weapon capabilities but no weapons)
  - -- Japan, Germany
- Threshold Nuclear Weapon States
  - --North Korea
- Aspiring Proliferators
  - -- Iraq, Iran, Libya, Algeria, various terrorist organizations
- Rollback cases
  - --Argentina, Brazil, Sweden, Switzerland, Egypt, Taiwan, South Africa(?)

# There have been some Nonproliferation Successes

- -- Sweden abandoned its programs in the 1970s.
- -- South Africa stopped its programs in 1992 ( 6 weapons).
- -- Argentina and Brazil renounced their programs.
- -- Taiwan and South Korea abandoned their programs in the 1980s.
- -- Iraq's program "put on hold" by Desert Storm and UN Resolution 687 and 715.
- -- Belarus, Kazakhstan, and Ukraine (?) have agreed to return the FSU weapons to Russia.
- -- NPT indefinitely extended by "pseudo consensus"





# UNCLASSIFIED

# WMD Technological Capabilities

### **Nuclear:**

5 acknowledged possessors, 30 countries with "capability"

### **Chemical:**

20-24 possessors, 80-90 countries and some subnational entities with "capability"

### **Biological:**


10-12 possessors, virtually every state and several subnational entities are "capable"

### (Conventional weapons:

virtually every country possess, 10-40 are major suppliers)

# Why Not Zero?

Many nations and individuals want us to completely eliminate weapons -- attractive philosophy but dubious policy:



There may be things worse than nuclear weapons (e.g. biologics)



# **Qualitative Level of Proliferation Concern**


Cold War (20,000)

START I (10,000)

START II (5,000±1500)

NAS (1,500)

Zero (0)



In the land of the blind, the one-eyed man is king.

Options across the Nonproliferation -- Counterproliferation Spectrum

Nonproliferation Initiative

incentives disincentives venues export controls foreign aid blockades, sanctions **Economics** alliances int'l organizations political isolation **Politics** military asst. military sales Military Force peacekeeping war covert operations confrontation cooperation NONPROLIFERATION COUNTERPROLIFERATION




# **Activities Which Accomplish Objectives**

### Reduce Demand

- International agreements
- Regional security agreements
- Transparency and confidence building
- Responsible behavior by nuclear weapon states
- Penalties for violating international norms
- Minimizing utility

### Control Supply

- International Export Control Regimes
- IAEA Safeguards
- Elimination of sources of supply
- Monitoring and enforcement of export controls or embargoes
- Responsible behavior by nuclear weapon states



### Mitigate Consequences

- Sanctions and embargoes
- Military activities
- Covert operations



ASS

# Goals of Proliferation Controls (non \_\_counter)

- -- REMOVE MOTIVATION FOR POSSESSION OF NUCLEAR WEAPONS
- -- INTERDICT DEVELOPMENT AND ACQUISITION
- -- **DETER EMPLOYMENT** OF KNOWN OR SUSPECTED STOCKPILES OF NUCLEAR WEAPONS
- -- **ELIMINATE INFRASTRUCTURE** BY PERSUASION, INTERNATIONAL SANCTIONS (e.g., Res 687)
- -- PROACTIVELY **DESTROY FACILITIES** (e.g., Osirak)





# Secondary Impacts of Nonproliferation Initiatives

- o NPT//NPT Extension Conference (1995):
  - -- Mandates for movement toward global reductions
  - -- Mandate for a CTB by 1996
  - -- Mandate for "FISS\_BAN"
  - -- Mandate for Negative Security Assurances
  - -- Improved Safeguards
- o Negotiations on control on fissile materials:
  - -- Codify in-place current US and Russian practices
  - -- Inspection regimes and transparency
  - -- Possible attempts to restrict tritium production
- o Export Controls
  - -- Heightened concern over "dual use" systems and commodities

# Issues on the Nonproliferation platter

- -- Control over the nuclear arsenal (and direction) of the FSU
- -- North Korea--good deal? bad deal?
- -- CTBT--linkage to NPT formalized during EXCON
- -- China, France--steadfastly continuing to test
- -- The Israeli nuclear arsenal
- -- The nuclear relationship between India and Pakistan--imminent missile deployment (M11 vs Prithvi)?
- -- Iran--a new reactor (Bushehr) for Israel to target?





# JUNCLASSIFIED

# SURVEY OF WEAPONS DEVELOPMENT AND TECHNOLOGY

**WR708** 



**SESSION XVII** 

•STOCKPILE STEWARDSHIP


•SUMMARY/DISCUSSION

(3)

SECON UNCLASSIFIED



### **Mk Number Lifetime**



<sup>\*</sup> As projected by P&PD 94-0

ANORHM

SENJAN CANADA CA

UNCLASSIFIED

633

b (3)



Weapon Histories Lead to a New Question

- "What is required to sustain a weapon while it is in the stockpile?"
  - The DOE has active programs to:

Upgrade a weapon's surety

Maintain a weapon's reliability


Incorporate new operational features into a weapon







# **How Changes Are Made To Stockpiled Weapons**




<sup>\*</sup> New user requirements may result in new weapon development


b(3)

UNCLASSIFIED

BG-OWER/








\*\* No "Actionable" Defect Types first discovered



# **Reliability Impact Assessed For All Defects**

- CONTINUAL PROCESS TO DEFINE WEAPON RELIABILITY -

- Reliability assessment first established during weapon development
  - \_Reliability model developed



- \_Sandia + Physics Lab inputs
- Reliability impact assessed during formal defect investigation (SFI)
  - \_Data collected from relevant sources
  - \_Added to existing data base
  - New assessment made (some defects assessed with no reliability impact)



## **PCP Includes MOD & ALT**


- Product Change Proposal (PCP)
  - Initiates & authorizes any accountable change to a War-Reserve (WR) weapon & its associated gear or non-WR units
  - Range in importance from (H1324 for the W71)

Change in Wrench

- \_Normally includes MOD & ALT
- Modification Number (MOD)
  - Assigned to any change to a WR weapon that alters its operational capability
- Alteration Number (ALT)
  - Assigned to any accountable change to a WR weapon & its associated gear or non-WR units












# **Stockpile Weapons in 2004**

"Major" (26) PCPs by Type of Change





### **Future Workload Issues**

DOI

historical data suggest that:

1 "actionable" defect will be discovered each

year.

About 2 PCPs will be approved each year - 1 of


these will constitute a major change.



UNCLASSIFIED



# 257 "Actionable" Defect Types Grouped By Design Skill Categories



HURSA UNCLASSIF

SEARCH UNICE ASSIFIED

ABOUTEN STATES

645

b(3)

Mental 18

SECREM UNCLASSI

### **REFERENCES**

- Nuclear Weapons Production and Planning Directive (P & PD), (MA)
- Annual Weapons Program Report (AL)
- Nuclear Weapons Characteristics Report HQ DNA-48M
- Individual Weapon Development Reports
- History Of The Nuclear Weapons Stockpile OMA, SRD (1992)
- AL Workload Planning Guidance AWLPG, SRD

# THIS PAGE LEFT BLANK INTENTIONALLY



# SENS TUNCLASSIFIED

# SURVEY OF WEAPONS DEVELOPMENT AND TECHNOLOGY

### **WR708**



### **SESSION XVIII**

• FIELD TRIP TO THE DEFENSE NUCLEAR WEAPONS SCHOOL'S

**WEAPON DISPLAY AREA** 

\$ 50B MUNCLASSIFIED

Total pages 650, February 16, 1998 Subject: Survey of Weapon Development and Technology (WR708) (U)

Distribution: 1 thru 50 3524 Belinda Holley

