

# Haskell Basics

Stephen A. Edwards

Columbia University

Fall 2021



## Useful Websites

- ▶ <https://www.haskell.org/>
    - Downloads, documentation
      - E.g., the Haskell Wiki, the GHC User's Guide, The Haskell 2010 language report, Hackage (package library), Hoogle (Haskell API search)
  - ▶ <http://docs.haskellstack.org>
    - The Haskell Tool Stack: a powerful system for downloading and installing packages, etc.
- We will be using the Haskell Stack to make sure everybody's environment is consistent.

# GHCI

GHC is the Glasgow Haskell Compiler (the major Haskell compiler release)

GHCI is the REPL (Read-Eval-Print Loop, a.k.a., command-line interface)

Run ghci with stack:

```
$ stack ghci
```

Configuring GHCI with the following packages:

GHCI, version 8.10.6: <http://www.haskell.org/ghc/> :? for help

Loaded GHCI configuration from /tmp/haskell-stack-ghci/2a3bbd58/..

Prelude> :?

Commands available from the prompt:

<statement>

evaluate/run <statement>

:quit


exit GHCI

The material on the following slides is adapted from



# Learn You a Haskell for Great Good!

A beginner's guide to Haskell



Miran Lipovača

Miran Lipovača.  
Learn You a Haskell for Great Good!  
No Starch Press, 2001.

<http://learnyouahaskell.com/>

# Comments

Single-line comments start with two dashes: --

```
Prelude> -- Single-line comment
```

Multi-line comments start with {-, end with -}, and may nest.

In GHCi only, multi-line definitions, etc.  
may be written with :{ and :}; these are  
unnecessary in source (.hs) files.

```
Prelude> :{  
Prelude| {- This is a  
Prelude|     multi-line comment -}  
Prelude| :}
```

Alternately enable multi-line input  
mode in GHCi:

```
Prelude> :set +m  
Prelude> {-  
Prelude|     A multi-line  
Prelude|     Comment  
Prelude| -}  
Prelude> {- Another  
Prelude|     one -}
```

## Basic Arithmetic

```
Prelude> 2 + 15
```

```
17
```

```
Prelude> 42 - 10
```

```
32
```

```
Prelude> 1 + 2 * 3
```

```
7
```

```
Prelude> 5 / 2
```

```
2.5
```

```
Prelude> 3 + -2
```

```
<interactive>:4:1: error:
```

```
    Precedence parsing error
```

```
    cannot mix '+' [infixl 6] and prefix '-' [infixl 6] in the same
    infix expression
```

```
Prelude> 3 + (-2)
```

```
1
```

# Booleans and Equality

Haskell is case-sensitive

```
Prelude> True && False  
False  
Prelude> False || True  
True  
Prelude> not True || True  
True  
Prelude> not (True || True)  
False
```

```
Prelude> 5 == 5  
True  
Prelude> 5 == 0  
False  
Prelude> 5 /= 5  
False  
Prelude> 5 /= 0  
True  
Prelude> "hello" == "hello"  
True
```

```
Prelude> "llama" == 5
```

```
<interactive>:25:12: error:
```

- \* No instance for (Num [Char]) arising from the literal '5'
- \* In the second argument of '(==)', namely '5'
  - In the expression: "llama" == 5
  - In an equation for 'it': it = "llama" == 5

# Function Application

Juxtaposition indicates function application. Don't use parentheses or commas for arguments.

```
Prelude> succ 41
```

```
42
```

```
Prelude> min 42 17
```

```
17
```

```
Prelude> max 42 17
```

```
42
```

Juxtaposition binds tightly; use parentheses to group arguments

```
Prelude> succ 3 * 2
```

```
8
```

```
Prelude> succ (3 * 2)
```

```
7
```

## Backticks and parentheses

Backticks make a function an infix operator. This is sometimes a more natural way to write expressions.

```
Prelude> 5 `max` 3  
5  
Prelude> 5 `max` 8  
8
```

Parentheses around a binary operator turns it into a two-argument function. This is most useful when you want to pass it as an argument (later).

```
Prelude> (+) 17 25  
42
```

## User-Defined Names and Functions

In recent versions of GHCi, just use = to bind things to names

```
Prelude> x = 7  
Prelude> x * x  
49
```

Just add one or more arguments to define a function

```
Prelude> sqr x = x * x  
Prelude> sqr 7  
49  
Prelude> y = 8  
Prelude> sqr y  
64
```

# Defining Functions

You can similarly define a function in a source file:

sqr.hs:    `sqr x = x * x`

In GHCi, :l means “load”

```
Prelude> :l sqr
[1 of 1] Compiling Main           ( sqr.hs, interpreted )
Ok, one module loaded.
*Main> sqr 7
```

## Lists: Homogeneous Sequences

Square brackets and commas denote list literals

```
Prelude> fiveprimes = [2,3,5,7,11]
Prelude> fiveprimes
[2,3,5,7,11]
```

Strings are just lists of characters

```
Prelude> ['h','e','l','l','o']
"hello"
```

`++` performs list concatenation

```
Prelude> [1,2,3] ++ [4,5]
[1,2,3,4,5]
Prelude> ['h','e','l','l','o'] ++ " world"
"hello world"
```

# The Cons Operator : Prepends a List Element

The bracket notation is just syntactic sugar for Cons.

```
Prelude> 1 : [2,3,4]
```

```
[1,2,3,4]
```

```
Prelude> 1 : 2 : [3,4]
```

```
[1,2,3,4]
```

```
Prelude> 1 : 2 : 3 : 4 : []
```

```
[1,2,3,4]
```

List elements must all be the same type

```
Prelude> 1 : ['h','e']
```


```
<interactive>:10:1: error:
```

- \* No instance for (Num Char) arising from the literal '1'

- \* In the first argument of '(:)', namely '1'

  - In the expression: 1 : ['h', 'e']

  - In an equation for 'it': it = 1 : ['h', 'e']



From *Learn You a Haskell for Great Good!*

```
Prelude> x = [0,1,2,3,4]
Prelude> head x
0
Prelude> tail x
[1,2,3,4]
Prelude> last x
4
Prelude> length x
5
Prelude> init x
[0,1,2,3]
Prelude> reverse x
[4,3,2,1,0]
Prelude> null x
False
Prelude> null []
True
```

```
Prelude> [5,6,7] !! 2
7
Prelude> "Monty Python" !! 6
'p'
Prelude> take 3 x
[0,1,2]
Prelude> drop 2 x
[2,3,4]
Prelude> maximum x
4
Prelude> minimum x
0
Prelude> sum x
10
Prelude> product x
0
```

## List Ranges

```
Prelude> [1..20]
```

```
[1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20]
```

```
Prelude> [2,4..20]
```

```
[2,4,6,8,10,12,14,16,18,20]
```

```
Prelude> [20,19..1]
```

```
[20,19,18,17,16,15,14,13,12,11,10,9,8,7,6,5,4,3,2,1]
```

```
Prelude> ['a'..'z']
```

```
"abcdefghijklmnopqrstuvwxyz"
```

Linear sequences only

Floating point numbers problematic

## Infinite Lists

Haskell supports infinite lists (and other infinite data structures).

Hint: **don't print out the whole thing**. E.g., use `take` to see the first elements

```
Prelude> take 5 [1..]
[1,2,3,4,5]
Prelude> take 10 [1..]
[1,2,3,4,5,6,7,8,9,10]
Prelude> take 10 [1,2,3]
[1,2,3]
Prelude> take 10 (cycle [1,2,3])
[1,2,3,1,2,3,1,2,3,1]
Prelude> take 16 (cycle [1,2,3])
[1,2,3,1,2,3,1,2,3,1,2,3,1,2,3,1]
Prelude> take 17 (repeat 5)
[5,5,5,5,5,5,5,5,5,5,5,5,5,5,5,5,5]
Prelude> replicate 15 6
[6,6,6,6,6,6,6,6,6,6,6,6,6,6,6]
```

# List Comprehensions

[ *expression* | *generator-guard-let*, *generator-guard-let*, ... ]

```
Prelude> [ x^2 | x <- [1..19] ]
[1,4,9,16,25,36,49,64,81,100,121,144,169,196,225,256,289,324,361]
```

```
Prelude> [ x^2 | x <- [1..20], (x^2) `mod` 2 == 0 ]
[4,16,36,64,100,144,196,256,324,400]
```

```
Prelude> [ x^2 | x <- [1..20], even (x^2) ]
[4,16,36,64,100,144,196,256,324,400]
```

```
Prelude> [ y | x <- [1..20], let y = x^2, even y ]
[4,16,36,64,100,144,196,256,324,400]
```

# List Comprehensions

Multiple guards must all be true

```
Prelude> [ x | x <- [1..100], x `mod` 7 == 0 ]  
[7,14,21,28,35,42,49,56,63,70,77,84,91,98]
```

```
Prelude> [ x | x <- [1..100], x `mod` 7 == 0, x `mod` 5 == 0 ]  
[35,70]
```

Multiple generators apply right-to-left:

```
Prelude> [ x + y | x <- [100,200..400], y <- [0..3] ]  
[100,101,102,103,200,201,202,203,300,301,302,303,400,401,402,403]
```

## Application: CS Research Jargon Generator

```
Prelude> :set +m
Prelude> [ adjective ++ " " ++ noun |
Prelude|   adjective <- ["An integrated", "A type-safe"],
Prelude|   noun <- ["network", "architecture", "hypervisor"] ]
["An integrated network", "An integrated architecture",
 "An integrated hypervisor", "A type-safe network",
 "A type-safe architecture", "A type-safe hypervisor"]
```

<https://www.cs.purdue.edu/homes/dec/essay.topic.generator.html>

## List Comprehensions

Here's an awkward way to code the standard Prelude's length function:

```
Prelude> length' xs = sum [ 1 | _ <- xs ]  
Prelude> length' [5,6,2,1,0]  
5  
Prelude> length' (replicate 11 []) -- List of eleven empty lists  
11
```

Names (variable identifiers) start with a lowercase letter followed by zero or more letters, digits, underscores, and single quotes.

\_ alone means "don't give this a name"

```
Prelude> onlyLetters s = [ c | c <- s,  
Prelude|           c `elem` ['A'..'Z'] ++ ['a'..'z'] ]  
Prelude> onlyLetters "Does this do what I think it Should?"  
"DoesthisdowhatIthinkitshould"
```

# Tuples: Pairs and More of Heterogeneous Objects

Lists are zero or more things of the same type; a tuple is two or more of (potentially) different types.

```
Prelude> (5,10)
(5,10)
Prelude> ("a",15)
("a",15)
Prelude> ("Douglas", "Adams", 42)
("Douglas", "Adams", 42)
Prelude> sae = ("Stephen", "Edwards")
Prelude> fst sae
"Stephen"
Prelude> snd sae
"Edwards"
```

# Zip and Pythagorean Triples

Form a list of pairs from two lists. Shorter of the two lists dominates; convenient with infinite lists

```
Prelude> zip [1,2,3] [100,200,300]
[(1,100),(2,200),(3,300)]
```

```
Prelude> zip "Stephen" [1..]
[('S',1),('t',2),('e',3),('p',4),('h',5),('e',6),('n',7)]
```

```
Prelude> [ (a,b,c) | c <- [1..20], b <- [1..c], a <- [1..b],
Prelude|           a^2 + b^2 == c^2 ]
[(3,4,5),(6,8,10),(5,12,13),(9,12,15),(8,15,17),(12,16,20)]
```

# The Handshake Problem

Number of handshakes among a group of  $n$  friends?

```
Prelude> handshakes n = [ (a,b) | a <- [1..n-1], b <- [a+1..n] ]  
Prelude> handshakes 3  
[(1,2),(1,3),(2,3)]  
Prelude> handshakes 5  
[(1,2),(1,3),(1,4),(1,5),(2,3),(2,4),(2,5),(3,4),(3,5),(4,5)]  
Prelude> length (handshakes 5)  
10  
Prelude> [ length (handshakes n) | n <- [1..10] ]  
[0,1,3,6,10,15,21,28,36,45]  
Prelude> [ n * (n-1) `div` 2 | n <- [1..10] ]  
[0,1,3,6,10,15,21,28,36,45]
```